


Table 15.25
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	57.80	0.09		
High Five States				
Kentucky	90.49	0.94	01(01,01)	56.55 ^c
Mississippi	85.45	1.14	02(02,03)	47.84 ^c
Arkansas	84.60	1.07	03(02,04)	46.36 ^c
Tennessee	80.67	0.74	04(04,06)	39.57 ^c
Alabama	80.30	0.84	05(04,06)	38.93 ^c
Low Five States				
Hawaii	41.88	1.09	47(44,50)	-27.54 ^c
California	41.88	0.23	48(46,48)	-27.55 ^c
New Mexico	39.04	0.90	49(48,50)	-32.46 ^c
Colorado	38.73	0.62	50(48,50)	-32.99 ^c
Utah	25.82	0.74	51(51,51)	-55.32 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	80.30	0.84	05(04,06)	38.93 ^c	Montana	46.14	1.30	43(40,47)	-20.18 ^c
Alaska	59.21	2.49	23(14,36)	2.43	Nebraska	55.11	1.12	29(23,38)	-4.67
Arizona	44.89	0.53	45(43,47)	-22.34 ^c	Nevada	54.23	0.96	33(25,38)	-6.17 ^c
Arkansas	84.60	1.07	03(02,04)	46.36 ^c	New Hampshire	55.76	1.31	26(22,37)	-3.53
California	41.88	0.23	48(46,48)	-27.55 ^c	New Jersey	50.24	0.50	40(37,41)	-13.08 ^c
Colorado	38.73	0.62	50(48,50)	-32.99 ^c	New Mexico	39.04	0.90	49(48,50)	-7.66 ^c
Connecticut	48.08	0.74	42(40,44)	-16.83 ^c	New York	50.58	0.33	39(37,41)	-12.50 ^c
Delaware	64.74	1.68	16(12,22)	12.01 ^c	North Carolina	70.04	0.57	11(10,13)	21.18 ^c
D.C.	51.39	2.11	38(24,44)	-11.10 ^c	North Dakota	53.37	1.74	35(23,41)	-7.66 ^c
Florida	56.09	0.31	25(24,30)	-2.97	Ohio	68.75	0.49	13(11,14)	18.94 ^c
Georgia	66.18	0.61	14(14,16)	14.49 ^c	Oklahoma	73.94	0.91	08(07,10)	27.93 ^c
Hawaii	41.88	1.09	47(44,50)	-27.54 ^c	Oregon	52.83	0.74	36(28,39)	-8.60 ^c
Idaho	44.89	1.11	46(42,48)	-22.34 ^c	Pennsylvania	60.71	0.42	18(17,23)	5.03 ^c
Illinois	60.22	0.46	21(18,24)	4.18	Rhode Island	60.51	1.53	19(15,26)	4.68
Indiana	73.23	0.70	09(07,10)	26.69 ^c	South Carolina	69.76	0.80	12(10,14)	20.69 ^c
Iowa	60.39	0.87	20(17,25)	4.47	South Dakota	55.17	1.61	28(21,39)	-4.55
Kansas	58.76	0.93	24(18,27)	1.66	Tennessee	80.67	0.74	04(04,06)	39.57 ^c
Kentucky	90.49	0.94	01(01,01)	56.55 ^c	Texas	54.26	0.34	31(27,36)	-6.13 ^c
Louisiana	75.07	0.87	07(06,09)	29.88 ^c	Utah	25.82	0.74	51(51,51)	-55.32 ^c
Maine	65.75	1.32	15(12,18)	13.76 ^c	Vermont	55.59	1.84	27(18,39)	-3.84
Maryland	54.24	0.66	32(26,37)	-6.17 ^c	Virginia	59.59	0.59	22(18,25)	3.09
Massachusetts	53.99	0.59	34(27,37)	-6.60 ^c	Washington	51.89	0.59	37(33,40)	-10.23 ^c
Michigan	62.79	0.51	17(15,19)	8.63 ^c	West Virginia	78.92	1.23	06(04,07)	36.54 ^c
Minnesota	48.47	0.62	41(39,44)	-16.15 ^c	Wisconsin	54.91	0.62	30(24,36)	-5.00 ^c
Mississippi	85.45	1.14	02(02,03)	47.84 ^c	Wyoming	46.11	1.88	44(38,48)	-20.22 ^c
Missouri	70.89	0.69	10(09,13)	22.65 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.