


Table 15.26
Cancer of the Lung And Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	37.05	0.06		
High Five States				
Kentucky	54.84	0.64	01(01,01)	48.01 ^c
West Virginia	48.41	0.87	02(02,03)	30.67 ^c
Oklahoma	45.60	0.63	03(02,09)	23.08 ^c
Missouri	44.87	0.49	04(03,10)	21.11 ^c
Maine	44.52	0.97	05(02,15)	20.16 ^c
Low Five States				
California	29.49	0.17	47(45,48)	-20.41 ^c
Colorado	28.81	0.47	48(46,49)	-22.25 ^c
New Mexico	26.70	0.66	49(48,50)	-27.92 ^c
Hawaii	25.27	0.77	50(49,50)	-31.79 ^c
Utah	15.83	0.53	51(51,51)	-57.27 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	40.26	0.51	20(14,24)	8.67	Montana	36.56	1.07	32(21,41)	-1.33
Alaska	44.20	1.93	08(02,24)	19.31 ^c	Nebraska	35.00	0.80	36(30,43)	-5.54
Arizona	31.40	0.40	45(42,46)	-15.26 ^c	Nevada	42.45	0.78	12(05,20)	14.57 ^c
Arkansas	44.29	0.69	07(03,14)	19.56 ^c	New Hampshire	41.75	1.02	15(05,24)	12.68 ^c
California	29.49	0.17	47(45,48)	-20.41 ^c	New Jersey	34.32	0.35	40(35,42)	-7.37
Colorado	28.81	0.47	48(46,49)	-22.25 ^c	New Mexico	26.70	0.66	49(48,50)	-27.92 ^c
Connecticut	35.32	0.55	35(31,41)	-4.67	New York	34.60	0.24	38(35,42)	-6.61
Delaware	42.86	1.21	11(03,22)	15.69 ^c	North Carolina	38.38	0.36	25(21,31)	3.59
D.C.	33.17	1.42	41(29,48)	-10.46 ^c	North Dakota	30.51	1.21	46(40,49)	-17.65 ^c
Florida	36.49	0.23	34(29,36)	-1.51	Ohio	43.54	0.34	10(05,14)	17.52 ^c
Georgia	36.52	0.38	33(28,36)	-1.43	Oklahoma	45.60	0.63	03(02,09)	23.08 ^c
Hawaii	25.27	0.77	50(49,50)	-31.79 ^c	Oregon	40.33	0.59	19(13,24)	8.84
Idaho	32.25	0.87	44(37,46)	-12.94 ^c	Pennsylvania	37.93	0.29	27(23,32)	2.37
Illinois	40.02	0.33	21(16,23)	8.02	Rhode Island	41.34	1.10	17(06,25)	11.57 ^c
Indiana	43.55	0.48	09(04,14)	17.54 ^c	South Carolina	38.72	0.52	24(19,31)	4.52
Iowa	37.13	0.62	31(23,36)	0.22	South Dakota	34.83	1.17	37(25,44)	-6.00
Kansas	38.77	0.68	23(17,32)	4.65	Tennessee	44.49	0.47	06(03,11)	20.08 ^c
Kentucky	54.84	0.64	01(01,01)	48.01 ^c	Texas	32.62	0.23	42(40,45)	-11.94 ^c
Louisiana	42.20	0.57	13(08,19)	13.91 ^c	Utah	15.83	0.53	51(51,51)	-57.27 ^c
Maine	44.52	0.97	05(02,15)	20.16 ^c	Vermont	41.50	1.43	16(03,30)	12.02 ^c
Maryland	37.47	0.47	30(23,34)	1.14	Virginia	37.48	0.40	29(23,34)	1.17
Massachusetts	39.31	0.43	22(17,27)	6.12	Washington	37.99	0.45	26(22,33)	2.53
Michigan	42.08	0.37	14(10,18)	13.59 ^c	West Virginia	48.41	0.87	02(02,03)	30.67 ^c
Minnesota	34.53	0.47	39(34,42)	-6.80	Wisconsin	37.52	0.46	28(23,34)	1.28
Mississippi	41.13	0.68	18(10,22)	11.01 ^c	Wyoming	32.32	1.45	43(32,48)	-12.76 ^c
Missouri	44.87	0.49	04(03,10)	21.11 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.