

Table 19.5  
Non-Hodgkin Lymphoma

Age-adjusted SEER Incidence<sup>a</sup> Rates by Year, Race and Sex

|                    | All Races |       |         | Whites |       |         | Blacks |       |         |
|--------------------|-----------|-------|---------|--------|-------|---------|--------|-------|---------|
|                    | Total     | Males | Females | Total  | Males | Females | Total  | Males | Females |
| Year of Diagnosis: |           |       |         |        |       |         |        |       |         |
| 1975-2013          | 18.27     | 22.41 | 15.00   | 19.03  | 23.27 | 15.65   | 13.89  | 17.36 | 11.17   |
| 1975               | 11.07     | 12.89 | 9.59    | 11.61  | 13.49 | 10.11   | 6.36   | 7.31  | 5.31    |
| 1976               | 11.22     | 12.82 | 10.06   | 11.65  | 13.27 | 10.51   | 6.04   | 7.45  | 5.03    |
| 1977               | 11.18     | 12.93 | 9.82    | 11.64  | 13.52 | 10.20   | 6.64   | 7.23  | 6.10    |
| 1978               | 11.92     | 14.26 | 10.12   | 12.47  | 14.74 | 10.74   | 7.15   | 9.46  | 5.17    |
| 1979               | 12.53     | 14.21 | 11.21   | 12.99  | 14.59 | 11.77   | 8.46   | 11.95 | 5.91    |
| 1980               | 12.62     | 15.01 | 10.81   | 12.97  | 15.26 | 11.22   | 8.77   | 10.89 | 7.20    |
| 1981               | 13.58     | 15.90 | 11.81   | 14.06  | 16.34 | 12.35   | 7.42   | 10.59 | 4.98    |
| 1982               | 13.39     | 15.56 | 11.61   | 14.02  | 16.42 | 12.05   | 10.27  | 10.22 | 10.01   |
| 1983               | 13.99     | 16.62 | 11.95   | 14.63  | 17.52 | 12.40   | 10.28  | 10.88 | 9.62    |
| 1984               | 15.20     | 18.29 | 12.79   | 15.97  | 19.10 | 13.55   | 9.46   | 12.52 | 6.92    |
| 1985               | 15.51     | 18.39 | 13.17   | 16.28  | 19.24 | 13.86   | 9.95   | 11.96 | 8.43    |
| 1986               | 15.91     | 19.43 | 13.01   | 16.82  | 20.56 | 13.75   | 10.66  | 13.13 | 8.52    |
| 1987               | 16.74     | 20.79 | 13.42   | 17.70  | 22.14 | 14.00   | 10.40  | 10.55 | 9.95    |
| 1988               | 17.25     | 21.33 | 14.08   | 18.21  | 22.42 | 14.90   | 11.58  | 15.79 | 8.49    |
| 1989               | 17.35     | 21.65 | 13.84   | 18.35  | 23.02 | 14.50   | 11.62  | 14.17 | 9.72    |
| 1990               | 18.50     | 22.97 | 14.81   | 19.33  | 23.93 | 15.50   | 13.92  | 17.63 | 11.02   |
| 1991               | 18.80     | 23.73 | 14.60   | 19.68  | 24.80 | 15.30   | 14.03  | 18.72 | 10.37   |
| 1992               | 18.62     | 23.04 | 14.94   | 19.55  | 23.94 | 15.83   | 13.68  | 18.87 | 9.65    |
| 1993               | 18.86     | 23.47 | 15.01   | 19.65  | 24.29 | 15.72   | 14.11  | 19.37 | 9.78    |
| 1994               | 19.95     | 24.96 | 15.80   | 20.68  | 25.58 | 16.56   | 14.43  | 21.52 | 8.77    |
| 1995               | 19.97     | 25.41 | 15.42   | 20.67  | 26.15 | 16.01   | 16.70  | 23.54 | 11.38   |
| 1996               | 19.42     | 24.23 | 15.48   | 20.26  | 25.19 | 16.19   | 15.46  | 19.19 | 12.30   |
| 1997               | 19.98     | 24.51 | 16.44   | 20.87  | 25.20 | 17.46   | 16.34  | 24.16 | 10.84   |
| 1998               | 19.61     | 22.95 | 16.84   | 20.57  | 23.98 | 17.74   | 14.49  | 16.96 | 12.54   |
| 1999               | 19.96     | 24.59 | 16.33   | 20.90  | 25.47 | 17.28   | 14.38  | 18.42 | 11.31   |
| 2000               | 19.79     | 24.32 | 16.11   | 20.92  | 25.64 | 17.05   | 13.92  | 18.23 | 10.73   |
| 2001               | 19.99     | 24.38 | 16.44   | 20.79  | 25.42 | 17.03   | 16.01  | 18.33 | 13.92   |
| 2002               | 20.21     | 24.19 | 17.08   | 21.31  | 25.49 | 17.95   | 14.45  | 17.10 | 12.45   |
| 2003               | 20.76     | 25.04 | 17.51   | 21.88  | 26.30 | 18.45   | 16.11  | 19.72 | 13.59   |
| 2004               | 21.39     | 25.87 | 17.94   | 22.32  | 26.80 | 18.83   | 18.48  | 24.03 | 14.47   |
| 2005               | 20.83     | 25.59 | 17.04   | 21.99  | 26.74 | 18.14   | 16.76  | 20.03 | 14.10   |
| 2006               | 20.49     | 24.71 | 17.22   | 21.71  | 26.02 | 18.32   | 16.34  | 20.92 | 12.94   |
| 2007               | 21.23     | 26.10 | 17.35   | 22.51  | 27.52 | 18.40   | 15.66  | 19.16 | 13.00   |
| 2008               | 20.87     | 25.65 | 16.96   | 21.72  | 26.69 | 17.59   | 16.87  | 18.94 | 14.99   |
| 2009               | 20.82     | 25.11 | 17.34   | 21.87  | 26.51 | 17.98   | 15.21  | 18.50 | 12.78   |
| 2010               | 21.31     | 26.49 | 17.09   | 22.18  | 27.19 | 18.06   | 17.62  | 23.00 | 13.33   |
| 2011               | 19.77     | 24.23 | 16.26   | 20.67  | 25.27 | 16.99   | 14.43  | 17.30 | 12.29   |
| 2012               | 20.16     | 24.69 | 16.48   | 21.05  | 25.67 | 17.23   | 16.54  | 18.92 | 14.42   |
| 2013               | 19.51     | 23.89 | 15.94   | 20.51  | 25.01 | 16.77   | 15.15  | 17.70 | 13.22   |

<sup>a</sup> SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).  
Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
- Statistic not shown. Rate based on less than 16 cases for the time interval.