

Table 19.16
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2011-2013 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.01	0.02	0.05	2.10	0.75	Asian/ Pacific Islander	0	0.01	0.02	0.05	1.84	0.73
	10	0.02	0.05	0.10	2.11	0.76		10	0.02	0.04	0.08	1.85	0.74
	20	0.03	0.09	0.20	2.10	0.76		20	0.03	0.07	0.15	1.83	0.74
	30	0.06	0.17	0.41	2.09	0.77		30	0.04	0.12	0.28	1.82	0.74
	40	0.12	0.35	0.80	2.06	0.77		40	0.08	0.24	0.56	1.79	0.74
	50	0.24	0.70	1.36	1.99	0.78		50	0.16	0.48	1.00	1.73	0.74
	60	0.49	1.18	1.73	1.86	0.78		60	0.33	0.86	1.37	1.61	0.73
	70	0.79	1.41	-	1.55	0.75		70	0.57	1.12	-	1.37	0.69
White	80	0.83	-	-	1.03	0.63	American Indian/ Alaska Native ^a	80	0.66	-	-	0.96	0.56
	0	0.01	0.02	0.05	2.20	0.79		0	0.01	0.02	0.04	1.63	0.49
	10	0.02	0.04	0.10	2.21	0.80		10	0.01	0.03	0.07	1.64	0.50
	20	0.03	0.08	0.20	2.20	0.80		20	0.01	0.05	0.13	1.63	0.50
	30	0.06	0.17	0.42	2.19	0.81		30	0.04	0.12	0.25	1.65	0.51
	40	0.12	0.37	0.84	2.16	0.81		40	0.08	0.22	0.55	1.64	0.52
	50	0.25	0.74	1.44	2.09	0.82		50	0.15	0.50	0.96	1.63	0.53
	60	0.51	1.25	1.82	1.95	0.82		60	0.37	0.87	1.41	1.59	0.55
Black	70	0.84	1.48	-	1.63	0.78	Hispanic ^b	70	0.57	1.18	-	1.39	0.54
	80	0.88	-	-	1.07	0.66		80	0.84	-	-	1.12	0.47
	0	0.01	0.02	0.06	1.29	0.44		0	0.01	0.02	0.04	2.13	0.76
	10	0.02	0.05	0.12	1.30	0.45		10	0.01	0.04	0.08	2.14	0.76
	20	0.03	0.11	0.22	1.29	0.45		20	0.02	0.07	0.17	2.14	0.77
	30	0.08	0.19	0.40	1.28	0.45		30	0.05	0.15	0.38	2.13	0.77
	40	0.12	0.33	0.63	1.22	0.45		40	0.10	0.33	0.75	2.10	0.77
	50	0.22	0.53	0.88	1.15	0.45		50	0.23	0.66	1.31	2.03	0.77
	60	0.34	0.72	0.96	1.02	0.44		60	0.45	1.13	1.69	1.88	0.75
	70	0.45	0.74	-	0.81	0.41		70	0.75	1.37	-	1.58	0.71
	80	0.42	-	-	0.52	0.33		80	0.79	-	-	1.05	0.58

Devcan 6.7.4, August 2016, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.