

Table 19.20  
Non-Hodgkin Lymphoma

Age-Adjusted SEER Incidence Rates<sup>a</sup>  
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Incidence Rates<sup>a</sup>, 2009-2013</u>									
California	18.68	22.79	15.32	19.62	23.89	16.07	14.16	16.58	12.09
Greater Bay Area	19.98	24.72	16.04	21.96	27.15	17.51	16.28	19.47	13.52
San Francisco-Oakland	19.98	25.11	15.77	22.07	27.77	17.25	15.90	19.28	13.01
San Jose-Monterey	20.04	24.04	16.59	21.81	26.11	17.99	19.11	21.25	17.00
Los Angeles	18.47	22.35	15.36	19.96	23.94	16.67	14.05	17.07	11.73
Greater California	18.33	22.31	15.05	18.83	22.93	15.43	13.27	14.73	11.83
Connecticut	20.96	25.26	17.67	21.29	25.68	17.87	14.17	16.82	12.34
Detroit	21.56	26.48	17.77	23.31	28.35	19.35	15.60	19.57	12.71
Georgia	17.74	21.74	14.56	18.77	22.78	15.42	14.32	17.74	11.92
Atlanta	18.81	23.50	15.21	20.39	25.59	16.18	16.21	19.28	13.81
Rural Georgia	14.69	16.27	13.49	17.25	18.30	15.62	8.72	-	-
Greater Georgia	17.26	20.99	14.25	18.22	21.87	15.14	13.05	16.55	10.68
Hawaii	18.05	21.79	14.87	20.90	23.73	17.69	-	-	-
Iowa	22.09	26.68	18.48	22.13	26.65	18.58	15.59	18.48	13.83
Kentucky	20.76	25.39	17.08	20.96	25.40	17.44	15.82	22.03	11.13
Louisiana	19.86	23.96	16.55	21.52	25.64	18.12	14.83	18.38	12.05
New Jersey	21.16	25.44	17.83	22.33	26.77	18.83	14.04	16.40	12.15
New Mexico	15.25	17.32	13.50	15.30	17.46	13.47	10.46	14.45	-
Seattle-Puget Sound	22.04	27.16	17.69	22.66	27.86	18.23	17.97	19.62	15.90
Utah	18.86	23.34	15.05	19.13	23.74	15.20	-	-	-
SEER 9 Areas <sup>b</sup>	20.30	24.87	16.61	21.25	25.92	17.40	15.77	19.03	13.22
SEER 13 Areas <sup>b</sup>	19.84	24.21	16.31	20.99	25.50	17.27	15.38	18.57	12.89
SEER 18 Areas <sup>b</sup>	19.51	23.73	16.10	20.45	24.76	16.90	14.57	17.63	12.17

<sup>a</sup> Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.