



Table 19.23
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.75	0.03		
High Five States				
Michigan	9.05	0.20	01(01,12)	16.76 ^c
Minnesota	9.01	0.27	02(01,15)	16.32 ^c
Kentucky	8.94	0.31	03(01,19)	15.40 ^c
Iowa	8.78	0.33	04(01,22)	13.24
Louisiana	8.75	0.31	05(01,21)	12.87
Low Five States				
Wyoming	6.53	0.74	47(02,51)	-15.69 ^c
Rhode Island	6.44	0.50	48(17,51)	-16.85 ^c
North Dakota	6.32	0.60	49(15,51)	-18.39 ^c
New Mexico	6.13	0.35	50(35,51)	-20.95 ^c
D.C.	5.95	0.72	51(14,51)	-23.28 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.71	0.27	20(08,43)	-0.50	Montana	7.62	0.54	24(01,50)	-1.72
Alaska	7.18	0.86	37(01,51)	-7.29	Nebraska	7.53	0.42	27(04,49)	-2.78
Arizona	7.06	0.21	40(22,49)	-8.95	Nevada	6.97	0.35	44(17,50)	-10.09
Arkansas	8.23	0.34	15(01,39)	6.21	New Hampshire	6.90	0.47	45(12,51)	-10.96
California	7.27	0.10	35(25,44)	-6.16	New Jersey	7.33	0.19	33(19,46)	-5.38
Colorado	6.74	0.26	46(25,51)	-12.97	New Mexico	6.13	0.35	50(35,51)	-20.95 ^c
Connecticut	7.22	0.29	36(17,49)	-6.86	New York	7.38	0.13	32(21,43)	-4.73
Delaware	7.50	0.58	28(01,50)	-3.21	North Carolina	7.46	0.19	30(17,44)	-3.78
D.C.	5.95	0.72	51(14,51)	-23.28 ^c	North Dakota	6.32	0.60	49(15,51)	-18.39 ^c
Florida	7.41	0.11	31(21,42)	-4.35	Ohio	8.55	0.18	07(02,19)	10.27
Georgia	7.32	0.21	34(18,47)	-5.49	Oklahoma	8.63	0.32	06(01,25)	11.38
Hawaii	7.10	0.45	39(07,51)	-8.37	Oregon	8.34	0.30	12(01,29)	7.68
Idaho	7.67	0.47	23(02,49)	-0.96	Pennsylvania	8.45	0.16	10(03,20)	8.98
Illinois	8.04	0.17	19(08,29)	3.71	Rhode Island	6.44	0.50	48(17,51)	-16.85 ^c
Indiana	8.48	0.24	09(01,24)	9.47	South Carolina	7.58	0.27	25(11,45)	-2.20
Iowa	8.78	0.33	04(01,22)	13.24	South Dakota	7.04	0.57	41(06,51)	-9.09
Kansas	8.26	0.35	13(01,38)	6.56	Tennessee	8.53	0.25	08(01,23)	10.12
Kentucky	8.94	0.31	03(01,19)	15.40 ^c	Texas	7.55	0.13	26(18,39)	-2.54
Louisiana	8.75	0.31	05(01,21)	12.87	Utah	7.01	0.39	43(14,51)	-9.49
Maine	8.18	0.48	17(01,44)	5.55	Vermont	8.22	0.73	16(01,49)	6.02
Maryland	7.04	0.24	42(21,49)	-9.14	Virginia	7.69	0.22	22(11,41)	-0.80
Massachusetts	7.14	0.22	38(21,48)	-7.91	Washington	8.08	0.23	18(04,32)	4.27
Michigan	9.05	0.20	01(01,12)	16.76 ^c	West Virginia	8.25	0.41	14(01,40)	6.40
Minnesota	9.01	0.27	02(01,15)	16.32 ^c	Wisconsin	8.37	0.25	11(02,26)	7.97
Mississippi	7.49	0.35	29(08,48)	-3.29	Wyoming	6.53	0.74	47(02,51)	-15.69 ^c
Missouri	7.69	0.23	21(11,43)	-0.78					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.