

Table 20.20
Cancer of the Oral Cavity and Pharynx by Subsite (Invasive)

SEER Incidence
Age-Adjusted Rates and Trends^a by Race and Sex

	Site									
	Oral Cavity & Pharynx	Lip	Tongue	Floor of Mouth	Gum & Other Mouth	Oropharynx & Tonsil	Hypophar.	Salivary Gland	Nasophar.	Other Oral Cavity & Pharynx
<u>2009-2013, Rate per 100,000 persons^b</u>										
All Races										
Male and Female	11.1	0.7	3.3	0.5	1.5	2.3	0.6	1.3	0.6	0.2
Male	16.7	1.1	5.0	0.8	1.8	4.0	1.1	1.7	0.9	0.4
Female	6.2	0.3	1.8	0.3	1.3	0.9	0.2	1.0	0.4	0.1
White										
Male and Female	11.6	0.8	3.6	0.6	1.5	2.6	0.6	1.3	0.4	0.2
Male	17.4	1.3	5.4	0.8	1.8	4.3	1.0	1.8	0.6	0.4
Female	6.4	0.4	1.9	0.4	1.3	0.9	0.2	1.0	0.2	0.1
Black										
Male and Female	9.2	0.1	2.1	0.6	1.3	2.2	0.9	1.0	0.6	0.3
Male	14.4	0.1	3.5	0.9	1.7	4.0	1.7	1.0	1.0	0.5
Female	5.2	-	1.1	0.3	1.1	0.9	0.3	1.0	0.4	0.2
<u>Trend 2004-2013^b ,APC(%)</u>										
All Races										
Male and Female	0.6*	-1.4*	1.5*	-2.7*	-0.2	2.5*	-2.3*	0.1	-0.4	2.7*
Male	0.7*	-1.7*	1.8*	-3.2*	-0.3	2.7*	-2.1*	0.3	-0.2	3.8*
Female	0.0	-0.8	0.8	-1.6	-0.1	1.8*	-3.7*	-0.3	-1.0	-0.8
White										
Male and Female	0.9*	-1.3*	2.0*	-2.4*	-0.1	3.1*	-2.3*	0.1	-1.0	3.9*
Male	1.0*	-1.7*	2.1*	-3.1*	-0.5	3.3*	-2.0*	0.3	-0.5	4.9*
Female	0.4	-0.5	1.4*	-1.1	0.3	2.3*	-3.6*	-0.5	-2.3	0.3
Black										
Male and Female	-2.0*	-	-1.9*	-2.9	-2.3*	-0.7	-4.2*	-1.2	-1.9	-3.5
Male	-2.0*	-	-1.3	-3.1	-2.2	-1.0	-4.1*	-2.1	-2.6	-2.6
Female	-2.1*	-	-3.7*	-2.0	-2.6*	-0.1	-5.5	-0.4	-0.5	-

^a The APC is the Annual Percent Change over the time interval.

Rates are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

Incidence data used in calculating the rates and trends are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.

* The APC is significantly different from zero (p<.05).