


Table 20.26
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.33	0.01		
High Five States				
Washington	1.86	0.10	01(01,07)	39.67 ^c
Arkansas	1.74	0.14	02(01,24)	30.55 ^c
Mississippi	1.71	0.14	03(01,30)	27.97 ^c
Vermont	1.65	0.27	04(01,49)	23.79 ^c
Kentucky	1.60	0.11	05(01,31)	20.03 ^c
Low Five States				
West Virginia	1.11	0.13	46(08,50)	-16.51 ^c
New Hampshire	1.08	0.17	47(06,50)	-18.83 ^c
South Dakota	1.03	0.20	48(04,50)	-23.05 ^c
Arizona	0.95	0.07	49(39,50)	-28.66 ^c
Connecticut	0.94	0.09	50(37,50)	-29.57 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	1.33	0.09	29(04,45)	-0.32	Montana	1.12	0.19	45(03,50)	-15.87 ^c
Alaska	-	-	-(-,-)	-	Nebraska	1.36	0.15	21(02,49)	1.79
Arizona	0.95	0.07	49(39,50)	-28.66 ^c	Nevada	1.39	0.14	15(02,47)	4.21
Arkansas	1.74	0.14	02(01,24)	30.55 ^c	New Hampshire	1.08	0.17	47(06,50)	-18.83 ^c
California	1.39	0.04	17(08,33)	3.98	New Jersey	1.18	0.07	40(18,48)	-11.69
Colorado	1.34	0.10	24(04,46)	0.57	New Mexico	1.35	0.15	22(02,49)	1.25
Connecticut	0.94	0.09	50(37,50)	-29.57 ^c	New York	1.23	0.04	37(21,45)	-7.99
Delaware	1.21	0.20	38(02,50)	-9.15	North Carolina	1.38	0.07	18(05,40)	3.88
D.C.	1.48	0.29	08(01,50)	10.71	North Dakota	1.25	0.25	35(01,50)	-6.20
Florida	1.39	0.05	16(07,35)	4.06	Ohio	1.33	0.06	28(07,42)	-0.17
Georgia	1.39	0.07	14(04,41)	4.35	Oklahoma	1.42	0.11	11(02,44)	6.61
Hawaii	1.40	0.18	12(01,49)	5.14	Oregon	1.42	0.11	10(02,44)	6.81
Idaho	1.31	0.18	30(01,50)	-1.37	Pennsylvania	1.17	0.05	42(25,47)	-12.15
Illinois	1.33	0.06	27(08,42)	-0.01	Rhode Island	1.17	0.19	41(02,50)	-11.94
Indiana	1.27	0.08	34(08,46)	-4.82	South Carolina	1.46	0.10	09(02,41)	9.92
Iowa	1.13	0.10	44(13,50)	-15.24 ^c	South Dakota	1.03	0.20	48(04,50)	-23.05 ^c
Kansas	1.15	0.12	43(09,50)	-13.57	Tennessee	1.55	0.09	06(02,30)	16.26 ^c
Kentucky	1.60	0.11	05(01,31)	20.03 ^c	Texas	1.35	0.05	23(08,38)	1.04
Louisiana	1.48	0.10	07(02,41)	10.72	Utah	1.20	0.15	39(05,50)	-9.57
Maine	1.24	0.16	36(02,50)	-6.67	Vermont	1.65	0.27	04(01,49)	23.79 ^c
Maryland	1.34	0.09	26(06,45)	0.35	Virginia	1.27	0.07	33(09,46)	-4.45
Massachusetts	1.34	0.08	25(06,44)	0.37	Washington	1.86	0.10	01(01,07)	39.67 ^c
Michigan	1.31	0.06	31(08,44)	-1.66	West Virginia	1.11	0.13	46(08,50)	-16.51 ^c
Minnesota	1.28	0.09	32(06,46)	-3.63	Wisconsin	1.39	0.09	13(04,43)	4.59
Mississippi	1.71	0.14	03(01,30)	27.97 ^c	Wyoming	1.36	0.30	20(01,50)	2.07
Missouri	1.37	0.08	19(04,43)	2.50					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.