

Table 25.9
Cancer of the Testis (Invasive)
SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Survival Time																						
1-year	93.2	95.8	98.0	97.7	98.1	97.6	97.4	97.9	96.9	97.9	98.5	98.2	98.4	97.9	98.1	98.9	98.9	98.7	98.6	98.1	97.6	99.0
2-year	88.5	92.6	96.2	96.4	97.4	96.4	95.7	96.6	96.3	96.6	97.4	97.1	96.9	96.4	97.3	98.4	97.5	97.2	97.5	97.4	97.4	
3-year	86.5	92.0	95.5	95.7	96.4	95.8	95.1	96.2	95.7	95.9	96.9	96.9	96.6	95.7	97.1	98.2	96.8	97.1	97.3	97.4		
4-year	85.6	91.5	95.0	95.7	96.3	95.8	94.8	96.1	95.6	95.9	96.8	96.7	96.5	95.3	96.8	98.0	96.5	96.7	97.2			
5-year	85.0	91.0	94.7	95.7	96.3	95.8	94.8	95.8	95.6	95.9	96.6	96.3	96.1	95.2	96.8	98.0	95.5	96.7				
6-year	84.7	90.9	94.5	95.5	96.3	95.8	94.7	95.6	95.5	95.9	96.1	96.1	96.1	95.2	96.4	97.8	94.9					
7-year	84.6	90.7	94.3	95.5	96.3	95.8	94.7	95.4	95.5	95.9	96.1	96.1	96.1	95.2	96.3	97.4						
8-year	84.5	90.5	94.1	95.0	96.3	95.8	94.7	95.4	95.4	95.9	96.1	96.0	96.1	95.2	96.2							
9-year	84.5	90.1	94.0	94.9	96.2	95.8	94.7	95.4	95.2	95.9	96.1	95.7	96.1	95.2								
10-year	83.7	89.9	93.8	94.9	96.1	95.8	94.7	94.7	95.2	95.9	96.1	95.5	96.1									
11-year	83.2	89.7	93.6	94.8	96.0	95.8	94.7	94.2	95.1	95.9	96.1	95.1										
12-year	82.9	89.7	93.5	94.8	96.0	95.8	94.7	94.1	95.1	95.9	96.1											
13-year	82.5	89.2	93.2	94.8	95.9	95.8	94.7	94.1	95.1	95.9												
14-year	82.0	88.8	93.1	94.8	95.7	95.8	94.7	93.9	95.1													
15-year	81.7	88.4	93.1	94.7	95.7	95.8	94.7	93.9														
16-year	81.2	88.0	92.9	94.6	95.7	95.8	94.5															
17-year	80.6	87.6	92.7	94.3	95.7	95.8																
18-year	80.0	87.4	92.6	94.3	95.7																	
19-year	79.5	87.2	92.5	94.2																		
20-year	79.3	86.8	92.3																			

^a

Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).