

Table 26.12
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2011-2013 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.02	0.10	1.19	0.06	Asian/ Pacific Islander	0	0.00	0.02	0.09	1.27	0.12
	10	0.02	0.10	0.27	1.20	0.06		10	0.02	0.09	0.26	1.28	0.12
	20	0.08	0.25	0.47	1.18	0.06		20	0.07	0.24	0.47	1.26	0.12
	30	0.17	0.39	0.63	1.11	0.06		30	0.17	0.40	0.63	1.20	0.12
	40	0.22	0.46	0.70	0.95	0.06		40	0.23	0.46	0.70	1.04	0.12
	50	0.25	0.49	0.67	0.75	0.06		50	0.24	0.48	0.68	0.82	0.12
	60	0.26	0.45	0.52	0.54	0.06		60	0.26	0.45	0.57	0.60	0.12
	70	0.22	0.30	-	0.32	0.06		70	0.21	0.33	-	0.37	0.11
White	80	0.12	-	-	0.14	0.05	American Indian/ Alaska Native ^a	80	0.14	-	-	0.19	0.09
	0	0.00	0.02	0.11	1.25	0.06		0	0.00	0.01	0.05	0.90	0.08
	10	0.02	0.11	0.30	1.26	0.06		10	0.01	0.05	0.14	0.91	0.08
	20	0.09	0.27	0.50	1.24	0.06		20	0.03	0.13	0.26	0.90	0.09
	30	0.19	0.42	0.67	1.16	0.06		30	0.09	0.23	0.39	0.88	0.09
	40	0.23	0.49	0.73	0.99	0.06		40	0.15	0.31	0.51	0.81	0.09
	50	0.26	0.51	0.69	0.77	0.06		50	0.17	0.38	0.58	0.69	0.09
	60	0.26	0.46	0.53	0.54	0.06		60	0.22	0.44	0.53	0.56	0.09
Black	70	0.22	0.31	-	0.32	0.06	Hispanic ^b	70	0.24	0.35	-	0.38	0.10
	80	0.12	-	-	0.13	0.05		80	0.15	-	-	0.19	0.11
	0	0.00	0.01	0.04	0.69	0.05		0	0.00	0.02	0.08	1.10	0.09
	10	0.01	0.04	0.12	0.71	0.05		10	0.02	0.08	0.21	1.11	0.09
	20	0.03	0.11	0.24	0.70	0.05		20	0.06	0.19	0.37	1.10	0.09
	30	0.08	0.21	0.35	0.68	0.05		30	0.13	0.30	0.51	1.04	0.09
	40	0.13	0.27	0.44	0.61	0.05		40	0.18	0.39	0.61	0.92	0.09
	50	0.15	0.32	0.44	0.50	0.05		50	0.22	0.45	0.64	0.76	0.09
	60	0.19	0.32	0.37	0.38	0.05		60	0.24	0.44	0.54	0.56	0.09
	70	0.16	0.22	-	0.23	0.05		70	0.22	0.33	-	0.35	0.08
	80	0.08	-	-	0.11	0.04		80	0.13	-	-	0.17	0.06

Devcan 6.7.4, August 2016, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.