

Table 26.14
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2011-2013 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.04	0.17	1.76	0.07	Asian/ Pacific Islander	0	0.00	0.04	0.15	1.81	0.14
	10	0.03	0.17	0.45	1.78	0.07		10	0.03	0.15	0.41	1.82	0.14
	20	0.14	0.42	0.76	1.75	0.07		20	0.12	0.38	0.72	1.79	0.14
	30	0.28	0.63	0.98	1.62	0.07		30	0.26	0.61	0.94	1.68	0.14
	40	0.35	0.71	1.03	1.35	0.07		40	0.34	0.68	1.01	1.43	0.14
	50	0.36	0.69	0.92	1.02	0.07		50	0.34	0.68	0.92	1.10	0.14
	60	0.34	0.58	0.67	0.69	0.07		60	0.34	0.59	0.72	0.77	0.13
	70	0.26	0.37	-	0.39	0.06		70	0.26	0.40	-	0.45	0.12
White	80	0.13	-	-	0.16	0.05	American Indian/ Alaska Native ^a	80	0.16	-	-	0.22	0.10
	0	0.00	0.04	0.19	1.86	0.07		0	0.00	0.02	0.09	1.45	0.10
	10	0.04	0.19	0.50	1.87	0.07		10	0.02	0.09	0.22	1.46	0.10
	20	0.15	0.46	0.82	1.84	0.07		20	0.07	0.20	0.43	1.45	0.10
	30	0.31	0.67	1.04	1.69	0.07		30	0.14	0.37	0.59	1.39	0.10
	40	0.37	0.74	1.07	1.40	0.07		40	0.23	0.47	0.78	1.28	0.10
	50	0.38	0.72	0.95	1.06	0.07		50	0.24	0.56	0.87	1.08	0.10
	60	0.35	0.59	0.69	0.70	0.07		60	0.34	0.67	0.84	0.89	0.10
Black	70	0.27	0.37	-	0.39	0.06	Hispanic ^b	70	0.37	0.56	-	0.61	0.10
	80	0.13	-	-	0.15	0.05		80	0.25	-	-	0.32	0.12
	0	0.00	0.01	0.06	1.06	0.07		0	0.00	0.03	0.15	1.71	0.11
	10	0.01	0.06	0.20	1.08	0.07		10	0.03	0.15	0.38	1.73	0.11
	20	0.05	0.19	0.40	1.07	0.07		20	0.12	0.35	0.63	1.70	0.11
	30	0.14	0.35	0.56	1.03	0.07		30	0.23	0.52	0.85	1.58	0.11
	40	0.21	0.43	0.67	0.90	0.07		40	0.29	0.63	0.96	1.37	0.11
	50	0.22	0.47	0.63	0.71	0.07		50	0.34	0.67	0.94	1.09	0.11
	60	0.27	0.44	0.51	0.53	0.07		60	0.35	0.62	0.74	0.78	0.11
	70	0.20	0.28	-	0.30	0.06		70	0.30	0.43	-	0.46	0.10
	80	0.11	-	-	0.14	0.05		80	0.16	-	-	0.20	0.07

Devcan 6.7.4, August 2016, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.