


Table 26.19
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.51	0.01		
High Five States				
Rhode Island	0.93	0.19	01(01,37)	81.85 ^c
Idaho	0.70	0.14	02(01,43)	35.53 ^c
Nebraska	0.65	0.12	03(01,43)	25.87 ^c
Massachusetts	0.63	0.06	04(01,32)	23.08 ^c
Hawaii	0.62	0.13	05(01,43)	21.60 ^c
Low Five States				
Arkansas	0.41	0.08	39(05,43)	-19.23 ^c
Connecticut	0.41	0.07	40(06,43)	-19.47 ^c
Louisiana	0.41	0.07	41(08,43)	-19.87 ^c
Maryland	0.40	0.06	42(13,43)	-21.90 ^c
Mississippi	0.40	0.08	43(05,43)	-22.50 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.43	0.06	36(07,43)	-15.93 ^c	Montana	0.60	0.14	07(01,43)	17.00 ^c
Alaska	-	-	-(-,-)	-	Nebraska	0.65	0.12	03(01,43)	25.87 ^c
Arizona	0.54	0.06	18(02,40)	4.71	Nevada	0.47	0.08	33(03,43)	-8.49
Arkansas	0.41	0.08	39(05,43)	-19.23 ^c	New Hampshire	0.49	0.12	30(01,43)	-5.27
California	0.53	0.03	20(07,33)	4.00	New Jersey	0.52	0.05	22(04,41)	0.76
Colorado	0.54	0.07	16(02,42)	5.61	New Mexico	0.43	0.09	37(03,43)	-16.57 ^c
Connecticut	0.41	0.07	40(06,43)	-19.47 ^c	New York	0.56	0.04	14(04,33)	8.53
Delaware	-	-	-(-,-)	-	North Carolina	0.55	0.05	15(03,39)	6.43
D.C.	-	-	-(-,-)	-	North Dakota	-	-	-(-,-)	-
Florida	0.44	0.03	35(20,42)	-14.78	Ohio	0.54	0.04	17(03,38)	5.57
Georgia	0.43	0.05	38(12,43)	-17.20 ^c	Oklahoma	0.57	0.08	13(01,42)	10.57
Hawaii	0.62	0.13	05(01,43)	21.60 ^c	Oregon	0.60	0.08	08(01,41)	16.82 ^c
Idaho	0.70	0.14	02(01,43)	35.53 ^c	Pennsylvania	0.50	0.04	25(06,40)	-2.56
Illinois	0.45	0.04	34(12,43)	-12.84	Rhode Island	0.93	0.19	01(01,37)	81.85 ^c
Indiana	0.50	0.06	27(04,43)	-3.48	South Carolina	0.47	0.07	32(04,43)	-7.62
Iowa	0.54	0.08	19(02,43)	4.36	South Dakota	-	-	-(-,-)	-
Kansas	0.61	0.10	06(01,42)	18.30 ^c	Tennessee	0.49	0.06	28(04,43)	-4.36
Kentucky	0.53	0.07	21(02,43)	3.11	Texas	0.59	0.04	10(03,28)	14.17
Louisiana	0.41	0.07	41(08,43)	-19.87 ^c	Utah	0.60	0.11	09(01,43)	16.76 ^c
Maine	-	-	-(-,-)	-	Vermont	-	-	-(-,-)	-
Maryland	0.40	0.06	42(13,43)	-21.90 ^c	Virginia	0.58	0.06	11(02,37)	12.23
Massachusetts	0.63	0.06	04(01,32)	23.08 ^c	Washington	0.49	0.06	29(04,43)	-4.79
Michigan	0.50	0.05	26(06,42)	-3.02	West Virginia	0.48	0.10	31(02,43)	-6.48
Minnesota	0.57	0.07	12(02,41)	11.53	Wisconsin	0.51	0.06	23(03,42)	-0.76
Mississippi	0.40	0.08	43(05,43)	-22.50 ^c	Wyoming	-	-	-(-,-)	-
Missouri	0.50	0.06	24(03,43)	-2.47					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.