


Table 26.20
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.50	0.01		
High Five States				
Hawaii	0.92	0.15	01(01,16)	85.47 ^c
Idaho	0.67	0.13	02(01,43)	35.07 ^c
New Mexico	0.67	0.11	03(01,40)	33.92 ^c
California	0.63	0.02	04(02,11)	26.55 ^c
North Dakota	0.60	0.16	05(01,44)	21.54 ^c
Low Five States				
Tennessee	0.40	0.05	40(10,44)	-19.09 ^c
South Carolina	0.40	0.05	41(07,44)	-19.58 ^c
Oklahoma	0.40	0.06	42(07,44)	-20.23 ^c
Iowa	0.40	0.06	43(05,44)	-20.28 ^c
Georgia	0.38	0.04	44(18,44)	-23.87 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.47	0.06	24(04,44)	-5.89	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	0.46	0.08	26(02,44)	-7.18
Arizona	0.41	0.05	39(11,44)	-18.43 ^c	Nevada	0.57	0.09	07(01,43)	14.09
Arkansas	0.48	0.07	23(02,44)	-3.63	New Hampshire	0.41	0.10	37(02,44)	-17.00 ^c
California	0.63	0.02	04(02,11)	26.55 ^c	New Jersey	0.48	0.04	21(05,41)	-2.81
Colorado	0.45	0.06	29(04,44)	-9.05	New Mexico	0.67	0.11	03(01,40)	33.92 ^c
Connecticut	0.42	0.06	35(06,44)	-15.67 ^c	New York	0.54	0.03	09(04,28)	8.62
Delaware	0.60	0.14	06(01,44)	20.59 ^c	North Carolina	0.49	0.04	19(04,41)	-1.23
D.C.	-	-	-(-,-)	-	North Dakota	0.60	0.16	05(01,44)	21.54 ^c
Florida	0.41	0.02	36(20,44)	-16.82 ^c	Ohio	0.50	0.04	18(05,38)	0.04
Georgia	0.38	0.04	44(18,44)	-23.87 ^c	Oklahoma	0.40	0.06	42(07,44)	-20.23 ^c
Hawaii	0.92	0.15	01(01,16)	85.47 ^c	Oregon	0.47	0.06	25(03,44)	-6.35
Idaho	0.67	0.13	02(01,43)	35.07 ^c	Pennsylvania	0.53	0.03	12(04,33)	5.73
Illinois	0.53	0.04	11(03,33)	7.34	Rhode Island	-	-	-(-,-)	-
Indiana	0.44	0.05	33(06,44)	-11.08	South Carolina	0.40	0.05	41(07,44)	-19.58 ^c
Iowa	0.40	0.06	43(05,44)	-20.28 ^c	South Dakota	-	-	-(-,-)	-
Kansas	0.42	0.07	34(04,44)	-14.48	Tennessee	0.40	0.05	40(10,44)	-19.09 ^c
Kentucky	0.48	0.06	22(03,44)	-3.55	Texas	0.52	0.03	13(05,31)	5.62
Louisiana	0.45	0.06	30(05,44)	-10.43	Utah	0.41	0.08	38(03,44)	-18.34 ^c
Maine	0.53	0.11	10(01,44)	7.47	Vermont	-	-	-(-,-)	-
Maryland	0.44	0.05	32(06,44)	-10.80	Virginia	0.44	0.04	31(07,44)	-10.58
Massachusetts	0.52	0.05	14(03,40)	4.73	Washington	0.51	0.05	15(03,42)	2.15
Michigan	0.48	0.04	20(05,40)	-2.52	West Virginia	0.50	0.08	16(02,44)	0.93
Minnesota	0.45	0.05	28(05,44)	-8.94	Wisconsin	0.57	0.06	08(02,35)	13.98
Mississippi	0.46	0.07	27(03,44)	-8.31	Wyoming	-	-	-(-,-)	-
Missouri	0.50	0.05	17(04,42)	0.18					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.