

Table 32.18

SEER Incidence^a and U.S. Mortality^b Rates and Trends for the Top 5 Cancer Sites^c by Age
All Races, Males, 1975-2013

	<u>Incidence</u>				<u>Mortality</u>			
	<u>1975-2013</u>		<u>2004-2013</u>		<u>1975-2013</u>		<u>2004-2013</u>	
	Rate	AAPC ^d	Rate	AAPC ^d	Rate	AAPC ^d	Rate	AAPC ^d
<u>Ages 15-19</u>								
All Malignant Cancers	21.2	0.6*	22.7	0.6*	4.8	-1.9*	3.6	-1.4
Hodgkin Lymphoma	3.3	-0.6*	3.1	-0.6*	0.2	-5.1*	0.1	-5.1*
Testis	3.2	1.3*	3.8	1.3*	0.1	-5.3*	0.1	-2.7*
Brain and Other Nervous System	2.3	0.3	2.3	0.3	0.7	-1.0*	0.6	-1.0*
Non-Hodgkin Lymphoma	2.0	1.3*	2.3	1.3*	0.5	-3.2*	0.3	-3.2*
Bones and Joints	1.9	0.4	1.9	0.4	0.7	-1.3*	0.6	0.0
<u>Ages 20-24</u>								
All Malignant Cancers	33.3	0.5*	35.7	0.5*	6.5	-2.0*	5.3	-3.2*
Testis	8.9	1.0	10.2	-0.2	0.5	-3.8*	0.3	0.5
Hodgkin Lymphoma	4.9	-0.5*	4.6	-0.5*	0.5	-4.4*	0.2	-4.4*
Melanoma of the Skin	2.8	0.2	2.8	0.2	0.2	-4.8*	0.2	-10.3
Non-Hodgkin Lymphoma	2.7	1.6*	3.3	1.6*	0.6	-2.3*	0.4	-5.4*
Brain and Other Nervous System	2.6	0.1	2.4	0.1	0.7	-0.8*	0.6	-0.8*
<u>Ages 25-29</u>								
All Malignant Cancers	50.1	0.8*	53.7	1.1*	8.8	-1.4*	7.1	-0.5
Testis	12.8	1.2*	15.4	1.2*	0.6	-2.9*	0.5	0.8
Melanoma of the Skin	5.2	0.2	5.4	0.2	0.6	-2.8*	0.4	-0.6
Hodgkin Lymphoma	5.0	-0.2	4.8	-0.2	0.7	-4.4*	0.3	-4.4*
Non-Hodgkin Lymphoma	4.4	1.5	4.5	1.5	0.9	-1.9*	0.6	-5.4*
Kaposi sarcoma	3.8	-	1.3	-	-	-	-	-
<u>Ages 30-34</u>								
All Malignant Cancers	70.8	0.9*	70.2	0.8*	13.4	-1.4*	10.3	-1.0*
Testis	13.1	1.9*	15.3	0.6*	0.6	-3.0*	0.4	-1.3*
Melanoma of the Skin	8.4	0.2	8.6	0.2	1.0	-2.3*	0.7	-2.3*
Kaposi sarcoma	8.2	-	2.1	-	-	-	-	-
Non-Hodgkin Lymphoma	7.2	1.1	6.1	-0.2	1.4	-1.3	0.8	-3.2*
Hodgkin Lymphoma	4.3	0.1	4.5	0.1	0.7	-4.4*	0.3	-5.3*
<u>Ages 35-39</u>								
All Malignant Cancers	100.1	0.5	96.3	0.0	23.3	-1.6*	17.3	-1.2*
Melanoma of the Skin	12.1	0.6	11.9	-0.7*	1.6	-2.4*	1.0	-1.3
Testis	11.1	1.8*	12.0	0.3	0.5	-2.8*	0.4	-1.3*
Non-Hodgkin Lymphoma	10.8	2.5*	9.8	-0.4	2.0	-1.6*	1.1	-2.5
Kaposi sarcoma	9.8	-	2.7	-	-	-	-	-
Colon and Rectum	7.6	1.0	9.4	2.2*	2.3	-0.2	2.3	3.4*

Rates are per 100,000.

^a SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta).

^b US Mortality Files, National Center for Health Statistics, CDC.

^c Top 5 cancer sites selected based on 1975-2013 rates for the age group.

^d The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint over the time range of 1975-2013.

- Statistic could not be calculated. Count and rate based on less than 16 cases for the time interval. AAPC could not be calculated due to insufficient data.

* The AAPC is significantly different from zero (p<.05).