

Table 32.21

SEER<sup>a</sup> 5-Year Relative Survival for the Top 5 Cancer Sites<sup>b</sup> by Age  
All Races, Males, 1975-2012

	5-year Relative Survival (Percent)					
	1975-2012	1975-1982	1983-1990	1991-1998	1999-2005	2006-2012
<u>Ages 15-19</u>						
All Malignant Cancers	74.0	62.4	71.2	75.6	78.3	82.7
Hodgkin Lymphoma	91.4	86.8	87.4	93.1	96.5	96.5
Testis	90.2	77.2	91.8	90.1	94.5	94.4
Brain and Other Nervous System	70.2	58.3	67.6	76.2	75.5	73.8
Non-Hodgkin Lymphoma	70.2	45.2	71.0	70.4	76.5	83.4
Bones and Joints	58.6	42.0	53.0	64.3	65.5	69.0
<u>Ages 20-24</u>						
All Malignant Cancers	76.5	69.5	72.2	76.7	82.6	82.4
Testis	92.5	84.8	90.5	95.0	96.6	94.8
Hodgkin Lymphoma	88.9	83.5	86.0	90.0	94.7	93.3
Melanoma of the Skin	86.4	76.9	81.9	88.6	94.1	93.7
Non-Hodgkin Lymphoma	65.9	54.8	55.4	56.5	81.3	77.1
Brain and Other Nervous System	65.6	54.8	59.1	74.4	66.1	76.2
<u>Ages 25-29</u>						
All Malignant Cancers	73.6	71.2	65.2	69.9	81.1	84.2
Testis	95.1	88.1	95.1	96.1	97.2	97.4
Melanoma of the Skin	88.6	82.6	87.1	89.5	92.6	92.3
Hodgkin Lymphoma	88.3	84.0	85.4	89.5	91.2	94.2
Non-Hodgkin Lymphoma	58.8	57.3	46.3	47.3	73.3	80.4
Kaposi sarcoma	15.2	-	9.1	12.0	43.9	59.6
<u>Ages 30-34</u>						
All Malignant Cancers	67.8	68.6	56.4	60.9	79.5	82.7
Testis	95.7	92.0	95.6	96.0	95.8	97.5
Melanoma of the Skin	88.3	79.2	85.3	90.6	93.3	93.8
Kaposi sarcoma	18.2	32.5	8.4	19.6	52.6	70.1
Non-Hodgkin Lymphoma	54.8	69.8	41.2	39.6	72.2	79.6
Hodgkin Lymphoma	87.2	78.8	83.3	86.9	93.0	94.6
<u>Ages 35-39</u>						
All Malignant Cancers	63.8	59.5	51.9	59.1	74.3	78.7
Melanoma of the Skin	88.2	82.1	85.2	88.5	91.8	93.0
Testis	96.2	92.1	95.0	96.9	96.9	97.2
Non-Hodgkin Lymphoma	56.4	61.8	43.7	45.3	67.0	78.5
Kaposi sarcoma	19.0	-	6.8	18.9	60.1	74.7
Colon and Rectum	61.9	55.5	52.8	60.7	69.5	65.5

<sup>a</sup> SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta).

<sup>b</sup> Top 5 cancer sites selected based on 1975-2012 SEER 9 Incidence rates for the age group.

- Statistic could not be calculated due to fewer than 25 cases during the time period.