


Table 2.18
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2010-2014

Males and Females

| State | Rate | SE | Rank(CI) ^d | PD |
|------------------|--------|------|-----------------------|---------------------|
| TOTAL U.S. | 166.12 | 0.10 | | |
| High Five States | | | | |
| Kentucky | 201.52 | 0.91 | 01(01,01) | 21.32 ^c |
| Mississippi | 197.26 | 1.12 | 02(02,03) | 18.75 ^c |
| West Virginia | 194.47 | 1.28 | 03(02,04) | 17.07 ^c |
| Louisiana | 190.96 | 0.90 | 04(03,06) | 14.96 ^c |
| Arkansas | 189.15 | 1.06 | 05(04,07) | 13.87 ^c |
| Low Five States | | | | |
| Arizona | 147.45 | 0.63 | 47(46,48) | -11.24 ^c |
| New Mexico | 146.55 | 1.14 | 48(46,48) | -11.78 ^c |
| Colorado | 142.31 | 0.77 | 49(49,49) | -14.33 ^c |
| Hawaii | 137.61 | 1.31 | 50(50,50) | -17.16 ^c |
| Utah | 128.56 | 1.09 | 51(51,51) | -22.61 ^c |

| State | Rate | SE | Rank(CI) ^d | PD | State | Rate | SE | Rank(CI) ^d | PD |
|---------------|--------|------|-----------------------|---------------------|----------------|--------|------|-----------------------|---------------------|
| Alabama | 184.43 | 0.83 | 08(07,10) | 11.03 ^c | Montana | 157.81 | 1.61 | 38(34,44) | -5.00 ^c |
| Alaska | 172.16 | 2.72 | 19(12,31) | 3.64 | Nebraska | 162.96 | 1.26 | 34(28,37) | -1.90 |
| Arizona | 147.45 | 0.63 | 47(46,48) | -11.24 ^c | Nevada | 167.25 | 1.11 | 28(21,32) | 0.68 |
| Arkansas | 189.15 | 1.06 | 05(04,07) | 13.87 ^c | New Hampshire | 166.10 | 1.48 | 30(21,35) | -0.01 |
| California | 149.72 | 0.28 | 46(45,47) | -9.87 ^c | New Jersey | 161.27 | 0.57 | 36(33,37) | -2.92 |
| Colorado | 142.31 | 0.77 | 49(49,49) | -14.33 ^c | New Mexico | 146.55 | 1.14 | 48(46,48) | -11.78 ^c |
| Connecticut | 153.38 | 0.85 | 45(42,45) | -7.67 ^c | New York | 157.75 | 0.38 | 40(38,43) | -5.04 ^c |
| Delaware | 174.66 | 1.80 | 16(12,23) | 5.15 ^c | North Carolina | 171.98 | 0.57 | 20(17,22) | 3.53 |
| D.C. | 179.01 | 2.48 | 12(08,20) | 7.76 ^c | North Dakota | 154.03 | 1.96 | 43(37,46) | -7.28 ^c |
| Florida | 157.56 | 0.35 | 41(38,43) | -5.15 ^c | Ohio | 181.65 | 0.52 | 10(09,12) | 9.35 ^c |
| Georgia | 169.67 | 0.61 | 23(20,26) | 2.14 | Oklahoma | 187.17 | 0.95 | 07(05,08) | 12.67 ^c |
| Hawaii | 137.61 | 1.31 | 50(50,50) | -17.16 ^c | Oregon | 167.26 | 0.87 | 27(22,32) | 0.69 |
| Idaho | 156.05 | 1.38 | 42(37,45) | -6.06 ^c | Pennsylvania | 174.34 | 0.47 | 17(15,20) | 4.95 |
| Illinois | 173.76 | 0.51 | 18(15,20) | 4.60 | Rhode Island | 169.76 | 1.65 | 22(16,31) | 2.19 |
| Indiana | 183.21 | 0.72 | 09(08,11) | 10.29 ^c | South Carolina | 177.81 | 0.82 | 14(11,16) | 7.04 ^c |
| Iowa | 168.93 | 0.96 | 24(20,29) | 1.70 | South Dakota | 163.40 | 1.84 | 32(24,39) | -1.64 |
| Kansas | 167.51 | 1.03 | 26(21,32) | 0.84 | Tennessee | 188.16 | 0.73 | 06(04,07) | 13.27 ^c |
| Kentucky | 201.52 | 0.91 | 01(01,01) | 21.32 ^c | Texas | 159.47 | 0.37 | 37(36,39) | -4.00 |
| Louisiana | 190.96 | 0.90 | 04(03,06) | 14.96 ^c | Utah | 128.56 | 1.09 | 51(51,51) | -22.61 ^c |
| Maine | 178.14 | 1.43 | 13(10,18) | 7.24 ^c | Vermont | 170.76 | 2.13 | 21(14,31) | 2.80 |
| Maryland | 165.34 | 0.74 | 31(26,33) | -0.47 | Virginia | 166.21 | 0.63 | 29(25,32) | 0.06 |
| Massachusetts | 162.98 | 0.65 | 33(31,36) | -1.89 | Washington | 161.82 | 0.67 | 35(32,37) | -2.59 |
| Michigan | 175.52 | 0.56 | 15(13,18) | 5.66 ^c | West Virginia | 194.47 | 1.28 | 03(02,04) | 17.07 ^c |
| Minnesota | 157.79 | 0.73 | 39(37,43) | -5.01 ^c | Wisconsin | 168.09 | 0.72 | 25(21,30) | 1.19 |
| Mississippi | 197.26 | 1.12 | 02(02,03) | 18.75 ^c | Wyoming | 153.57 | 2.27 | 44(37,48) | -7.55 ^c |
| Missouri | 180.48 | 0.72 | 11(09,13) | 8.65 ^c | | | | | |



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.