Table 4.12 Cancer of the Female Breast(In Situ)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

_	All Races, Females	White Females	Black Females
Age-Adjusted Rates, 2010-2014			
Age at Diagnosis:			
All ages	31.2	31.0	31.4
Under 65	23.1	23.0	21.7
65 and over	87.0	86.2	98.3
All ages (WHO world std) ^b	25.3	25.2	25.4
Age-Specific Rates, 2010-2014			
Age at Diagnosis:			
<1	-	-	_
1-4	-	-	_
5-9	-	-	_
10-14	-	-	_
15-19	-	-	_
20-24	0.2	0.2	_
25-29	0.7	0.6	0.8
30-34	2.6	2.3	3.6
35-39	10.1	10.0	9.4
40-44	40.6	40.8	34.0
45-49	62.1	62.8	49.2
50-54	70.5	71.1	62.1
55-59	73.2	72.0	78.3
60-64	86.3	84.4	99.6
65-69	108.3	106.4	120.6
70-74	103.1	102.2	113.1
75-79	88.1	87.7	107.4
80-84	65.0	65.4	71.5
85+	30.0	30.0	33.9

SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

Rates are per 100,000 and are age-adjusted to the world (WHO 2000-2025) standard million. Statistic not shown. Rate based on less than 16 cases for the time interval.