

Table 4.20  
Cancer of the Female Breast (Invasive)

Age-Adjusted SEER Incidence Rates<sup>a</sup>  
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <50	Ages 50+	All Ages	Ages <50	Ages 50+	All Ages	Ages <50	Ages 50+
<u>SEER Incidence Rates<sup>a</sup>, 2010-2014</u>									
California	120.70	41.06	329.26	125.25	41.18	345.41	123.00	40.76	338.37
Greater Bay Area	124.62	44.63	334.10	133.33	45.69	362.82	126.23	40.21	351.45
San Francisco-Oakland	126.94	45.02	341.45	134.66	45.34	368.54	126.62	40.62	351.80
San Jose-Monterey	120.20	43.93	319.92	131.09	46.32	353.07	125.95	37.94	356.42
Los Angeles	114.65	40.53	308.75	117.06	39.21	320.93	126.85	42.79	346.95
Greater California	122.09	40.01	337.03	126.24	40.79	349.98	117.01	39.13	320.97
Connecticut	139.19	51.87	367.84	141.79	53.84	372.08	116.01	39.12	317.33
Detroit	131.59	45.72	356.43	132.46	45.72	359.60	132.14	46.95	355.24
Georgia	123.54	42.88	334.76	123.86	41.47	339.60	125.45	46.69	331.70
Atlanta	131.92	45.74	357.60	137.62	47.12	374.59	130.82	46.26	352.25
Rural Georgia	124.13	47.80	324.01	128.94	47.78	341.47	113.23	44.42	293.43
Greater Georgia	119.36	41.00	324.56	118.61	38.93	327.23	121.97	47.11	318.01
Hawaii	135.98	51.68	356.71	145.16	56.41	377.57	118.44	59.80	271.99
Iowa	122.76	41.46	335.66	123.77	42.21	337.35	103.13	34.03	284.08
Kentucky	123.33	41.84	336.72	123.41	41.60	337.64	126.21	44.43	340.35
Louisiana	123.23	42.29	335.19	120.99	40.15	332.68	131.59	47.57	351.62
New Jersey	132.02	48.62	350.43	135.87	50.09	360.48	120.25	44.29	319.17
New Mexico	112.08	35.47	312.71	117.04	37.88	324.35	86.16	21.73	254.88
Seattle-Puget Sound	139.91	46.68	384.04	144.18	46.72	399.38	129.14	42.80	355.22
Utah	114.72	36.52	319.51	115.87	36.89	322.69	76.46	-	195.53
SEER 9 Areas <sup>b</sup>	129.80	44.98	351.92	132.72	45.31	361.60	127.67	44.28	346.05
SEER 13 Areas <sup>b</sup>	125.85	43.86	340.53	129.25	43.88	352.78	127.38	43.92	345.94
SEER 18 Areas <sup>b</sup>	124.92	43.10	339.18	127.71	43.13	349.19	125.13	44.44	336.42

<sup>a</sup> Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.