

Table 12.12
Cancer of the Larynx (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.33	0.12	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.13	0.06
	10	0.00	0.00	0.00	0.33	0.12		10	0.00	0.00	0.00	0.13	0.06
	20	0.00	0.00	0.02	0.33	0.12		20	0.00	0.00	0.00	0.13	0.06
	30	0.00	0.02	0.07	0.33	0.12		30	0.00	0.00	0.02	0.14	0.06
	40	0.01	0.07	0.17	0.34	0.12		40	0.00	0.02	0.04	0.14	0.06
	50	0.06	0.16	0.26	0.33	0.12		50	0.01	0.04	0.09	0.13	0.06
	60	0.11	0.21	0.28	0.29	0.11		60	0.03	0.08	0.11	0.12	0.06
	70	0.12	0.19	-	0.21	0.09		70	0.05	0.09	-	0.10	0.06
80	0.09	-	-	0.11	0.06	80	0.04	-	-	0.06	0.05		
White	0	0.00	0.00	0.00	0.33	0.11	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.18	0.08
	10	0.00	0.00	0.00	0.34	0.12		10	0.00	0.00	0.00	0.18	0.09
	20	0.00	0.00	0.02	0.34	0.12		20	0.00	0.00	0.01	0.19	0.09
	30	0.00	0.02	0.07	0.34	0.12		30	0.00	0.01	0.05	0.19	0.09
	40	0.02	0.07	0.17	0.34	0.12		40	0.01	0.05	0.09	0.19	0.09
	50	0.06	0.16	0.26	0.33	0.12		50	0.04	0.08	0.15	0.19	0.09
	60	0.11	0.22	0.28	0.29	0.11		60	0.04	0.11	0.16	0.16	0.09
	70	0.12	0.19	-	0.21	0.09		70	0.09	0.14	-	0.14	0.07
80	0.09	-	-	0.11	0.06	80	0.07	-	-	0.07	0.06		
Black	0	0.00	0.00	0.00	0.43	0.17	Hispanic ^b	0	0.00	0.00	0.00	0.25	0.11
	10	0.00	0.00	0.00	0.44	0.18		10	0.00	0.00	0.00	0.25	0.11
	20	0.00	0.00	0.02	0.45	0.18		20	0.00	0.00	0.01	0.25	0.11
	30	0.00	0.02	0.11	0.45	0.18		30	0.00	0.01	0.04	0.25	0.11
	40	0.02	0.11	0.26	0.46	0.18		40	0.01	0.04	0.10	0.25	0.11
	50	0.09	0.25	0.38	0.46	0.18		50	0.03	0.09	0.17	0.25	0.11
	60	0.17	0.31	0.38	0.40	0.17		60	0.07	0.15	0.21	0.23	0.11
	70	0.17	0.26	-	0.28	0.14		70	0.09	0.16	-	0.18	0.09
80	0.13	-	-	0.15	0.09	80	0.08	-	-	0.11	0.07		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.