



Table 12.19
Cancer of the Larynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	1.85	0.02		
High Five States				
D.C.	2.96	0.50	01(01,36)	59.81 ^c
Kentucky	2.52	0.15	02(01,15)	35.93 ^c
West Virginia	2.47	0.21	03(01,26)	33.33 ^c
South Carolina	2.47	0.14	04(01,17)	32.99 ^c
Louisiana	2.44	0.15	05(01,21)	31.63 ^c
Low Five States				
Arizona	1.27	0.09	47(36,50)	-31.26 ^c
Oregon	1.26	0.11	48(34,50)	-32.25 ^c
South Dakota	1.24	0.24	49(15,50)	-33.09 ^c
Colorado	1.14	0.10	50(38,50)	-38.42 ^c
Utah	0.54	0.10	51(50,51)	-71.05 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.26	0.14	09(01,27)	21.82 ^c	Montana	1.81	0.26	28(02,49)	-2.13
Alaska	1.41	0.37	41(02,51)	-24.10 ^c	Nebraska	1.85	0.20	26(04,45)	-0.16
Arizona	1.27	0.09	47(36,50)	-31.26 ^c	Nevada	1.58	0.16	36(15,49)	-14.74
Arkansas	1.73	0.15	32(11,46)	-6.74	New Hampshire	1.42	0.21	39(12,50)	-23.27 ^c
California	1.38	0.04	43(35,48)	-25.77 ^c	New Jersey	1.93	0.10	22(08,34)	4.32
Colorado	1.14	0.10	50(38,50)	-38.42 ^c	New Mexico	1.63	0.18	33(09,49)	-12.00
Connecticut	1.45	0.12	38(26,50)	-22.03 ^c	New York	2.03	0.07	15(08,29)	9.40
Delaware	1.83	0.27	27(02,50)	-1.07	North Carolina	1.99	0.09	18(07,32)	7.62
D.C.	2.96	0.50	01(01,36)	59.81 ^c	North Dakota	1.78	0.31	29(01,50)	-3.82
Florida	2.11	0.06	12(07,24)	14.01	Ohio	2.23	0.09	10(03,21)	20.30 ^c
Georgia	1.92	0.10	23(09,34)	3.73	Oklahoma	1.75	0.14	31(10,44)	-5.47
Hawaii	1.36	0.19	44(21,50)	-26.38 ^c	Oregon	1.26	0.11	48(34,50)	-32.25 ^c
Idaho	1.30	0.18	46(22,50)	-29.60 ^c	Pennsylvania	1.96	0.07	20(10,32)	5.75
Illinois	2.12	0.08	11(05,27)	14.16	Rhode Island	1.93	0.27	21(01,47)	4.38
Indiana	2.02	0.11	17(05,32)	9.15	South Carolina	2.47	0.14	04(01,17)	32.99 ^c
Iowa	1.77	0.14	30(09,43)	-4.52	South Dakota	1.24	0.24	49(15,50)	-33.09 ^c
Kansas	1.39	0.14	42(26,50)	-25.12 ^c	Tennessee	2.37	0.12	06(01,20)	27.94 ^c
Kentucky	2.52	0.15	02(01,15)	35.93 ^c	Texas	1.96	0.06	19(11,30)	5.94
Louisiana	2.44	0.15	05(01,21)	31.63 ^c	Utah	0.54	0.10	51(50,51)	-71.05 ^c
Maine	2.35	0.24	07(01,33)	26.74 ^c	Vermont	2.02	0.34	16(01,49)	9.20
Maryland	2.09	0.13	14(03,32)	12.59	Virginia	1.91	0.10	25(09,35)	3.07
Massachusetts	1.63	0.10	34(21,44)	-12.16	Washington	1.52	0.10	37(26,47)	-18.11 ^c
Michigan	2.11	0.09	13(05,28)	13.58	West Virginia	2.47	0.21	03(01,26)	33.33 ^c
Minnesota	1.33	0.10	45(33,50)	-28.43 ^c	Wisconsin	1.60	0.10	35(21,46)	-13.84
Mississippi	2.30	0.18	08(01,30)	23.94 ^c	Wyoming	1.42	0.31	40(04,51)	-23.30 ^c
Missouri	1.92	0.11	24(08,36)	3.46					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.