

Table 13.20
Leukemia

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.06	0.09	0.12	1.51	0.85	Asian/ Pacific Islander	0	0.06	0.09	0.11	1.01	0.63
	10	0.03	0.06	0.10	1.47	0.86		10	0.03	0.05	0.08	0.96	0.63
	20	0.03	0.07	0.13	1.44	0.85		20	0.02	0.05	0.09	0.93	0.62
	30	0.04	0.11	0.24	1.42	0.85		30	0.03	0.07	0.15	0.91	0.62
	40	0.07	0.21	0.48	1.40	0.85		40	0.04	0.12	0.26	0.89	0.61
	50	0.14	0.43	0.87	1.37	0.86		50	0.08	0.22	0.48	0.86	0.60
	60	0.30	0.77	1.18	1.30	0.86		60	0.15	0.41	0.67	0.80	0.58
	70	0.53	0.99	-	1.13	0.83		70	0.28	0.56	-	0.70	0.55
White	80	0.62	-	-	0.80	0.70	American Indian/ Alaska Native ^a	80	0.33	-	-	0.49	0.44
	0	0.06	0.10	0.13	1.58	0.89		0	0.04	0.07	0.10	0.82	0.49
	10	0.03	0.06	0.11	1.53	0.90		10	0.02	0.06	0.10	0.79	0.49
	20	0.03	0.07	0.14	1.51	0.89		20	0.03	0.08	0.11	0.77	0.49
	30	0.04	0.11	0.26	1.49	0.89		30	0.04	0.08	0.18	0.75	0.48
	40	0.07	0.22	0.51	1.46	0.89		40	0.04	0.14	0.26	0.72	0.48
	50	0.15	0.45	0.91	1.43	0.89		50	0.10	0.23	0.45	0.71	0.49
	60	0.32	0.81	1.23	1.36	0.90		60	0.14	0.37	0.60	0.65	0.49
Black	70	0.55	1.04	-	1.17	0.87	Hispanic ^b	70	0.26	0.52	-	0.58	0.46
	80	0.65	-	-	0.84	0.72		80	0.34	-	-	0.43	0.42
	0	0.03	0.05	0.07	1.05	0.60		0	0.07	0.11	0.14	1.23	0.71
	10	0.02	0.04	0.07	1.04	0.61		10	0.04	0.08	0.12	1.17	0.71
	20	0.02	0.05	0.12	1.02	0.61		20	0.04	0.08	0.14	1.13	0.70
	30	0.03	0.10	0.21	1.01	0.61		30	0.04	0.11	0.22	1.10	0.69
	40	0.07	0.19	0.40	1.00	0.61		40	0.06	0.17	0.36	1.07	0.68
	50	0.12	0.35	0.67	0.97	0.61		50	0.11	0.30	0.59	1.02	0.67
	60	0.25	0.60	0.85	0.92	0.61		60	0.20	0.50	0.81	0.95	0.66
	70	0.42	0.72	-	0.81	0.58		70	0.33	0.68	-	0.83	0.62
	80	0.44	-	-	0.57	0.48		80	0.43	-	-	0.61	0.50

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.