


Table 13.27
Leukemia

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014


Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	9.13	0.04		
High Five States				
South Dakota	11.39	0.74	01(01,29)	24.86 ^c
Oklahoma	10.61	0.35	02(01,20)	16.25 ^c
Wisconsin	10.60	0.28	03(01,16)	16.15 ^c
Arkansas	10.45	0.39	04(01,25)	14.48
Kansas	10.45	0.40	05(01,26)	14.47
Low Five States				
Utah	8.03	0.41	47(24,51)	-12.03
New Mexico	7.94	0.40	48(26,51)	-13.03
Montana	7.82	0.54	49(22,51)	-14.36
D.C.	7.18	0.82	50(15,51)	-21.28 ^c
Hawaii	6.87	0.44	51(45,51)	-24.67 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	10.05	0.31	10(01,27)	10.16	Montana	7.82	0.54	49(22,51)	-14.36
Alaska	9.42	0.99	23(01,51)	3.22	Nebraska	9.21	0.46	26(04,49)	0.87
Arizona	8.71	0.23	40(22,48)	-4.51	Nevada	9.10	0.40	27(07,48)	-0.30
Arkansas	10.45	0.39	04(01,25)	14.48	New Hampshire	9.08	0.54	29(03,50)	-0.54
California	8.41	0.10	45(36,49)	-7.86	New Jersey	8.63	0.21	41(25,49)	-5.46
Colorado	8.40	0.29	46(24,50)	-7.91	New Mexico	7.94	0.40	48(26,51)	-13.03
Connecticut	9.09	0.32	28(10,47)	-0.41	New York	8.76	0.14	39(25,46)	-4.05
Delaware	9.49	0.66	19(01,49)	3.94	North Carolina	8.91	0.21	36(18,46)	-2.34
D.C.	7.18	0.82	50(15,51)	-21.28 ^c	North Dakota	9.04	0.72	31(01,51)	-0.94
Florida	8.54	0.12	43(31,48)	-6.42	Ohio	9.58	0.19	17(08,32)	4.94
Georgia	8.45	0.22	44(27,49)	-7.42	Oklahoma	10.61	0.35	02(01,20)	16.25 ^c
Hawaii	6.87	0.44	51(45,51)	-24.67 ^c	Oregon	8.97	0.31	35(14,48)	-1.66
Idaho	9.03	0.50	32(04,49)	-1.08	Pennsylvania	9.47	0.17	21(11,33)	3.76
Illinois	9.73	0.19	15(06,28)	6.65	Rhode Island	8.98	0.59	33(02,50)	-1.63
Indiana	9.98	0.26	12(02,27)	9.30	South Carolina	9.26	0.30	25(09,45)	1.45
Iowa	9.79	0.35	14(02,38)	7.32	South Dakota	11.39	0.74	01(01,29)	24.86 ^c
Kansas	10.45	0.40	05(01,26)	14.47	Tennessee	10.14	0.27	08(01,26)	11.12
Kentucky	10.38	0.33	06(01,23)	13.72	Texas	8.98	0.14	34(22,42)	-1.64
Louisiana	9.47	0.32	22(05,41)	3.74	Utah	8.03	0.41	47(24,51)	-12.03
Maine	9.39	0.50	24(02,48)	2.87	Vermont	9.47	0.78	20(01,50)	3.80
Maryland	8.85	0.27	37(17,48)	-3.05	Virginia	8.58	0.23	42(24,49)	-5.96
Massachusetts	9.07	0.24	30(14,45)	-0.57	Washington	8.83	0.24	38(19,48)	-3.28
Michigan	9.64	0.20	16(07,31)	5.62	West Virginia	10.12	0.46	09(01,37)	10.87
Minnesota	10.02	0.28	11(02,28)	9.78	Wisconsin	10.60	0.28	03(01,16)	16.15 ^c
Mississippi	9.57	0.39	18(02,44)	4.83	Wyoming	10.26	0.89	07(01,49)	12.38
Missouri	9.92	0.26	13(02,28)	8.68					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.