


Table 15.24  
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	44.73	0.05		
High Five States				
Kentucky	69.61	0.53	01(01,01)	55.63 <sup>c</sup>
West Virginia	60.25	0.71	02(02,05)	34.70 <sup>c</sup>
Arkansas	60.12	0.59	03(02,05)	34.42 <sup>c</sup>
Mississippi	58.83	0.61	04(02,05)	31.52 <sup>c</sup>
Tennessee	58.58	0.40	05(03,05)	30.97 <sup>c</sup>
Low Five States				
California	33.39	0.14	47(47,48)	-25.35 <sup>c</sup>
Hawaii	32.08	0.63	48(47,50)	-28.29 <sup>c</sup>
Colorado	31.67	0.36	49(48,50)	-29.19 <sup>c</sup>
New Mexico	31.56	0.53	50(48,50)	-29.45 <sup>c</sup>
Utah	19.96	0.43	51(51,51)	-55.38 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	55.55	0.45	07(06,10)	24.19 <sup>c</sup>	Montana	41.22	0.82	36(32,43)	-7.84 <sup>c</sup>
Alaska	47.60	1.44	20(13,32)	6.42 <sup>c</sup>	Nebraska	43.13	0.65	34(27,37)	-3.57
Arizona	36.08	0.31	46(44,46)	-19.33 <sup>c</sup>	Nevada	46.58	0.59	23(17,27)	4.13
Arkansas	60.12	0.59	03(02,05)	34.42 <sup>c</sup>	New Hampshire	46.19	0.78	25(17,30)	3.27
California	33.39	0.14	47(47,48)	-25.35 <sup>c</sup>	New Jersey	39.79	0.28	41(37,43)	-11.05 <sup>c</sup>
Colorado	31.67	0.36	49(48,50)	-29.19 <sup>c</sup>	New Mexico	31.56	0.53	50(48,50)	-29.45 <sup>c</sup>
Connecticut	39.37	0.43	43(37,44)	-11.99 <sup>c</sup>	New York	40.15	0.19	40(37,42)	-10.24 <sup>c</sup>
Delaware	51.05	0.97	13(11,18)	14.14 <sup>c</sup>	North Carolina	50.68	0.31	14(12,16)	13.30 <sup>c</sup>
D.C.	40.29	1.18	38(32,44)	-9.92 <sup>c</sup>	North Dakota	40.20	1.01	39(33,44)	-10.12 <sup>c</sup>
Florida	43.82	0.18	31(28,34)	-2.02	Ohio	52.85	0.28	11(11,13)	18.15 <sup>c</sup>
Georgia	47.67	0.32	18(17,23)	6.56 <sup>c</sup>	Oklahoma	56.47	0.52	06(05,10)	26.25 <sup>c</sup>
Hawaii	32.08	0.63	48(47,50)	-28.29 <sup>c</sup>	Oregon	44.05	0.44	29(27,34)	-1.53
Idaho	36.98	0.67	44(43,46)	-17.32 <sup>c</sup>	Pennsylvania	46.39	0.24	24(20,27)	3.71
Illinois	47.62	0.27	19(17,23)	6.46 <sup>c</sup>	Rhode Island	48.79	0.89	17(13,24)	9.08 <sup>c</sup>
Indiana	55.10	0.40	09(06,10)	23.19 <sup>c</sup>	South Carolina	50.37	0.43	15(12,18)	12.62 <sup>c</sup>
Iowa	46.01	0.50	26(20,28)	2.87	South Dakota	43.85	0.95	30(23,37)	-1.96
Kansas	46.64	0.55	22(18,27)	4.26	Tennessee	58.58	0.40	05(03,05)	30.97 <sup>c</sup>
Kentucky	69.61	0.53	01(01,01)	55.63 <sup>c</sup>	Texas	40.62	0.19	37(36,40)	-9.18 <sup>c</sup>
Louisiana	55.05	0.48	10(06,10)	23.08 <sup>c</sup>	Utah	19.96	0.43	51(51,51)	-55.38 <sup>c</sup>
Maine	52.48	0.77	12(10,15)	17.32 <sup>c</sup>	Vermont	47.10	1.11	21(15,29)	5.31 <sup>c</sup>
Maryland	43.19	0.38	33(28,36)	-3.45	Virginia	45.49	0.33	27(22,29)	1.71
Massachusetts	43.68	0.34	32(28,34)	-2.36	Washington	42.24	0.35	35(32,37)	-5.57 <sup>c</sup>
Michigan	49.79	0.30	16(14,18)	11.32 <sup>c</sup>	West Virginia	60.25	0.71	02(02,05)	34.70 <sup>c</sup>
Minnesota	39.69	0.37	42(37,43)	-11.28 <sup>c</sup>	Wisconsin	44.24	0.37	28(27,34)	-1.09
Mississippi	58.83	0.61	04(02,05)	31.52 <sup>c</sup>	Wyoming	36.69	1.11	45(41,46)	-17.97 <sup>c</sup>
Missouri	55.29	0.40	08(06,10)	23.61 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.