Table 16.1 Melanoma of the Skin (Invasive)

Trends in SEER Incidence ab and U.S. Mortality Using the Joinpoint Regression Program, 1975-2014 With up to Five Joinpoints, 1992-2014 With up to Four Joinpoints, Both Sexes by Race/Ethnicity

	JP Tre	JP Trend 1		JP Trend 2		JP Trend 3		JP Trend 4		JP Trend 5		JP Trend 6		AAPC ^d	
	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	Years	APC	2005-14	2010-14	
SEER 9 Delay-Adju	sted Incide	nce ^a . 19'	75-2014												
All Races	1975-81	5.9*	1981-05	2.9*	2005-14	1.6*							1.6*	1.6*	
White	1975-81	6.2*	1981-05	3.2*	2005-14	1.9*							1.9*	1.9*	
Black	1975-14	-0.1											-0.1	-0.1	
SEER 13 Delay-Adj	usted Incid	ence ^b , 1	992-2014												
All Races	1992-96	4.8*	1996-14	1.8*									1.8*	1.8*	
White	1992-08	2.9*	2008-12	-0.5	2012-14	6.1							2.1	2.7	
Black	1992-95	30.3	1995-01	-6.5	2001-14	0.8							0.8	0.8	
SEER 9 Observed Incidence ^a , 1975-2014															
All Races	1975-81	5.9*	1981-05	2.9*	2005-14	1.4*							1.4*	1.4*	
White	1975-81	6.2*	1981-05	3.3*	2005-14	1.5*							1.5*	1.5*	
Black	1975-14	-0.2											-0.2	-0.2	
SEER 13 Observed			14												
All Races	1992-97	4.3*	1997-14	1.6*									1.6*	1.6*	
White	1992-05	3.1*	2005-14	1.1*									1.1*	1.1*	
White NH ^{ef}	1992-05	3.6*	2005-14	1.4*									1.4*	1.4*	
Black	1992-95	29.3	1995-04	-5.9*	2004-07	14.6	2007-14	-4.5					-0.5	-4.5	
Black NH ^{ef}	1992-95	30.9	1995-00	-7.6	2000-14	0.5							0.5	0.5	
API ^e	1992-14	0.5											0.5	0.5	
AI/AN ^{eg}	1992-14	1.9											1.9	1.9	
Hispanic ^f	1992-14	0.9*											0.9*	0.9*	
U.S. Cancer Morta															
Note- Alternate mortality trends adjusted for ICD-9/ICD-10 coding change available at: https://surveillance.cancer.gov/joinpoint/jump.html .															
All Races	1975-90	1.5*	1990-02		2002-09	0.6	2009-14						-0.4	-1.3*	
White	1975-89	1.7*	1989-02	-0.1	2002-09	0.7*	2009-14	-1.0*					-0.2	-1.0*	
Black	1975-14	-0.8*											-0.8*	-0.8*	
U.S. Cancer Morta															
All Races	1992-14	-0.1											-0.1	-0.1	
White	1992-14	0.1											0.1	0.1	
White NH ^{ef}	1992-14	0.4*											0.4*	0.4*	
Black	1992-14	-1.1*											-1.1*	-1.1*	
Black NH ^{ef}	1992-14	-1.0*											-1.0*	-1.0*	
API ^e	1992-14	-0.9											-0.9	-0.9	
AI/AN ^{eg}	1992-14	0.6											0.6	0.6	
Hispanic ^f	1992-14	-0.3											-0.3	-0.3	

Joinpoint Regression Program Version 4.4, January 2017, National Cancer Institute. (https://surveillance.cancer.gov/joinpoint/). The APC is the Annual Percent Change based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130). Trends are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

Trends are from the SEER 13 areas (SEER 9 Areas, Los Angeles, San Jose-Monterey, Rural Georgia, and the Alaska Native Registry).

Trends are from US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint.

API - Asian/Pacific Islander, AI/AN - American Indian/Alaska Native, NH - Non-Hispanic Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. The Hispanic and Non-Hispanic mortality trends exclude deaths from New Hampshire and Oklahoma.

Data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

The APC/AAPC is significantly different from zero (p<.05).

Joinpoint regression line analysis could not be performed on data series.