



Table 16.18  
Melanoma of the Skin (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	2.66	0.01		
High Five States				
Utah	3.59	0.18	01(01,10)	34.95 <sup>c</sup>
Idaho	3.52	0.21	02(01,18)	32.05 <sup>c</sup>
West Virginia	3.32	0.17	03(01,24)	24.46 <sup>c</sup>
Kentucky	3.28	0.12	04(01,18)	23.19 <sup>c</sup>
Tennessee	3.12	0.09	05(02,24)	16.96 <sup>c</sup>
Low Five States				
North Dakota	2.25	0.24	47(10,50)	-15.40 <sup>c</sup>
Louisiana	2.22	0.10	48(35,49)	-16.74 <sup>c</sup>
New York	2.19	0.04	49(43,49)	-17.61 <sup>c</sup>
Hawaii	1.61	0.14	50(49,51)	-39.53 <sup>c</sup>
D.C.	1.08	0.19	51(50,51)	-59.29 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	2.72	0.10	30(11,42)	2.01	Montana	2.97	0.22	13(01,45)	11.67
Alaska	2.52	0.33	35(01,50)	-5.33	Nebraska	2.92	0.17	17(02,41)	9.67
Arizona	2.94	0.09	15(05,32)	10.26	Nevada	2.89	0.15	19(03,40)	8.51
Arkansas	2.78	0.13	26(06,43)	4.39	New Hampshire	2.72	0.19	29(03,48)	2.18
California	2.47	0.04	40(32,45)	-7.13	New Jersey	2.40	0.07	44(31,48)	-10.01
Colorado	3.09	0.11	06(02,27)	15.98 <sup>c</sup>	New Mexico	2.51	0.15	36(14,49)	-5.83
Connecticut	2.42	0.11	43(27,49)	-9.18	New York	2.19	0.04	49(43,49)	-17.61 <sup>c</sup>
Delaware	2.83	0.23	24(02,48)	6.27	North Carolina	2.76	0.07	27(12,36)	3.67
D.C.	1.08	0.19	51(50,51)	-59.29 <sup>c</sup>	North Dakota	2.25	0.24	47(10,50)	-15.40 <sup>c</sup>
Florida	2.90	0.05	18(09,28)	8.72	Ohio	2.94	0.07	16(06,30)	10.22
Georgia	2.50	0.07	37(27,47)	-6.08	Oklahoma	3.08	0.12	08(02,29)	15.80 <sup>c</sup>
Hawaii	1.61	0.14	50(49,51)	-39.53 <sup>c</sup>	Oregon	3.09	0.12	07(02,29)	15.86 <sup>c</sup>
Idaho	3.52	0.21	02(01,18)	32.05 <sup>c</sup>	Pennsylvania	2.85	0.06	23(09,31)	7.04
Illinois	2.47	0.06	39(29,46)	-7.11	Rhode Island	2.58	0.20	33(05,49)	-3.29
Indiana	2.95	0.09	14(04,31)	10.90	South Carolina	2.73	0.10	28(10,41)	2.43
Iowa	2.88	0.13	20(04,37)	7.93	South Dakota	2.44	0.23	42(06,49)	-8.23
Kansas	3.05	0.14	09(02,33)	14.51	Tennessee	3.12	0.09	05(02,24)	16.96 <sup>c</sup>
Kentucky	3.28	0.12	04(01,18)	23.19 <sup>c</sup>	Texas	2.31	0.04	45(38,49)	-13.32
Louisiana	2.22	0.10	48(35,49)	-16.74 <sup>c</sup>	Utah	3.59	0.18	01(01,10)	34.95 <sup>c</sup>
Maine	3.04	0.19	10(01,38)	14.11	Vermont	2.62	0.27	32(02,49)	-1.63
Maryland	2.48	0.09	38(26,48)	-6.91	Virginia	2.79	0.08	25(11,35)	4.58
Massachusetts	2.87	0.09	21(07,34)	7.60	Washington	2.86	0.09	22(06,34)	7.51
Michigan	2.46	0.07	41(29,47)	-7.76	West Virginia	3.32	0.17	03(01,24)	24.46 <sup>c</sup>
Minnesota	2.57	0.09	34(19,46)	-3.34	Wisconsin	2.62	0.09	31(18,44)	-1.54
Mississippi	2.30	0.12	46(28,49)	-13.58	Wyoming	3.03	0.32	11(01,49)	13.81
Missouri	3.01	0.09	12(03,29)	13.12					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.