



Table 16.19  
Melanoma of the Skin (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	3.99	0.02		
High Five States				
Utah	5.56	0.33	01(01,09)	39.44 <sup>c</sup>
West Virginia	5.07	0.32	02(01,25)	27.17 <sup>c</sup>
Tennessee	5.03	0.19	03(01,12)	26.04 <sup>c</sup>
Idaho	4.84	0.36	04(01,34)	21.47 <sup>c</sup>
Kentucky	4.73	0.22	05(01,26)	18.70 <sup>c</sup>
Low Five States				
New York	3.21	0.08	47(41,49)	-19.37 <sup>c</sup>
North Dakota	3.16	0.42	48(09,50)	-20.67 <sup>c</sup>
South Dakota	3.13	0.39	49(14,50)	-21.62 <sup>c</sup>
Hawaii	2.38	0.26	50(46,51)	-40.35 <sup>c</sup>
D.C.	1.19	0.31	51(50,51)	-70.13 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	4.17	0.19	23(05,41)	4.58	Montana	4.15	0.38	26(01,49)	3.99
Alaska	3.63	0.62	37(01,50)	-8.95	Nebraska	4.10	0.30	27(03,47)	2.81
Arizona	4.24	0.16	18(06,36)	6.26	Nevada	4.33	0.26	14(02,42)	8.49
Arkansas	4.37	0.25	11(02,38)	9.70	New Hampshire	3.98	0.35	30(03,48)	-0.27
California	3.77	0.07	35(27,42)	-5.47	New Jersey	3.62	0.13	39(27,47)	-9.22
Colorado	4.34	0.20	12(03,36)	8.83	New Mexico	3.62	0.27	38(11,49)	-9.10
Connecticut	3.38	0.19	46(28,49)	-15.30 <sup>c</sup>	New York	3.21	0.08	47(41,49)	-19.37 <sup>c</sup>
Delaware	3.99	0.42	29(02,49)	0.04	North Carolina	4.30	0.14	16(05,33)	7.74
D.C.	1.19	0.31	51(50,51)	-70.13 <sup>c</sup>	North Dakota	3.16	0.42	48(09,50)	-20.67 <sup>c</sup>
Florida	4.32	0.09	15(07,29)	8.26	Ohio	4.33	0.12	13(06,31)	8.56
Georgia	3.95	0.15	32(11,43)	-0.87	Oklahoma	4.70	0.23	06(01,28)	17.78 <sup>c</sup>
Hawaii	2.38	0.26	50(46,51)	-40.35 <sup>c</sup>	Oregon	4.40	0.21	10(03,34)	10.38
Idaho	4.84	0.36	04(01,34)	21.47 <sup>c</sup>	Pennsylvania	4.16	0.11	24(10,34)	4.27
Illinois	3.64	0.11	36(27,46)	-8.60	Rhode Island	3.54	0.36	43(07,50)	-11.28
Indiana	4.22	0.17	20(05,37)	5.78	South Carolina	4.09	0.20	28(06,42)	2.64
Iowa	4.15	0.23	25(04,43)	4.05	South Dakota	3.13	0.39	49(14,50)	-21.62 <sup>c</sup>
Kansas	4.61	0.26	08(01,33)	15.74 <sup>c</sup>	Tennessee	5.03	0.19	03(01,12)	26.04 <sup>c</sup>
Kentucky	4.73	0.22	05(01,26)	18.70 <sup>c</sup>	Texas	3.60	0.09	41(31,46)	-9.81
Louisiana	3.38	0.19	45(28,49)	-15.15 <sup>c</sup>	Utah	5.56	0.33	01(01,09)	39.44 <sup>c</sup>
Maine	4.61	0.35	09(01,40)	15.51 <sup>c</sup>	Vermont	3.40	0.45	44(05,50)	-14.68
Maryland	3.90	0.18	33(11,45)	-2.19	Virginia	4.23	0.16	19(06,36)	6.09
Massachusetts	4.19	0.16	22(07,37)	5.11	Washington	4.20	0.16	21(06,36)	5.28
Michigan	3.61	0.12	40(28,47)	-9.34	West Virginia	5.07	0.32	02(01,25)	27.17 <sup>c</sup>
Minnesota	3.78	0.17	34(16,46)	-5.26	Wisconsin	3.96	0.17	31(11,43)	-0.56
Mississippi	3.56	0.24	42(16,49)	-10.61	Wyoming	4.26	0.56	17(01,49)	6.77
Missouri	4.64	0.18	07(02,26)	16.31 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.