

Table 17.9
Mesothelioma (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.01	0.08	0.16	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.04	0.06
	10	0.00	0.01	0.02	0.08	0.16		10	0.00	0.00	0.01	0.04	0.06
	20	0.01	0.02	0.04	0.08	0.16		20	0.00	0.01	0.01	0.04	0.06
	30	0.02	0.03	0.04	0.07	0.16		30	0.01	0.01	0.02	0.04	0.06
	40	0.02	0.03	0.03	0.06	0.16		40	0.01	0.01	0.02	0.03	0.06
	50	0.01	0.02	0.03	0.04	0.17		50	0.01	0.01	0.02	0.02	0.06
	60	0.01	0.02	0.03	0.03	0.17		60	0.00	0.01	0.02	0.02	0.06
	70	0.01	0.02	-	0.03	0.17		70	0.01	0.02	-	0.02	0.06
80	0.02	-	-	0.02	0.14	80	0.01	-	-	0.01	0.05		
White	0	0.00	0.00	0.00	0.06	0.17	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.03	0.11
	10	0.00	0.00	0.01	0.06	0.17		10	0.00	0.00	0.00	0.03	0.12
	20	0.00	0.01	0.03	0.06	0.17		20	0.00	0.00	0.01	0.04	0.12
	30	0.01	0.02	0.03	0.06	0.18		30	0.00	0.01	0.01	0.04	0.12
	40	0.01	0.02	0.03	0.05	0.18		40	0.01	0.01	0.01	0.04	0.12
	50	0.01	0.02	0.03	0.04	0.18		50	0.01	0.01	0.03	0.03	0.13
	60	0.01	0.02	0.03	0.03	0.19		60	0.00	0.02	0.03	0.03	0.14
	70	0.01	0.02	-	0.03	0.19		70	0.03	0.03	-	0.03	0.14
80	0.02	-	-	0.02	0.15	80	0.00	-	-	0.00	0.15		
Black	0	0.00	0.00	0.03	0.14	0.06	Hispanic ^b	0	0.00	0.00	0.01	0.12	0.11
	10	0.00	0.03	0.09	0.15	0.06		10	0.00	0.01	0.02	0.12	0.11
	20	0.03	0.08	0.12	0.14	0.06		20	0.01	0.02	0.04	0.12	0.11
	30	0.05	0.08	0.10	0.11	0.07		30	0.02	0.03	0.04	0.11	0.11
	40	0.03	0.05	0.06	0.06	0.07		40	0.02	0.03	0.04	0.10	0.11
	50	0.02	0.03	0.03	0.03	0.07		50	0.01	0.02	0.04	0.08	0.11
	60	0.01	0.01	0.02	0.02	0.07		60	0.01	0.03	0.05	0.07	0.11
	70	0.00	0.01	-	0.01	0.07		70	0.03	0.05	-	0.07	0.10
80	0.01	-	-	0.01	0.06	80	0.03	-	-	0.06	0.08		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.