

Table 17.10
Mesothelioma (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.01	0.04	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.01	0.02
	10	0.00	0.00	0.00	0.01	0.04		10	0.00	0.00	0.00	0.01	0.02
	20	0.00	0.00	0.00	0.01	0.04		20	0.00	0.00	0.00	0.01	0.02
	30	0.00	0.00	0.00	0.01	0.04		30	0.00	0.00	0.00	0.01	0.02
	40	0.00	0.00	0.00	0.01	0.04		40	0.00	0.00	0.00	0.01	0.02
	50	0.00	0.00	0.00	0.01	0.04		50	0.00	0.00	0.00	0.01	0.02
	60	0.00	0.00	0.01	0.01	0.04		60	0.00	0.00	0.00	0.01	0.02
	70	0.00	0.01	-	0.01	0.04		70	0.00	0.00	-	0.00	0.02
80	0.01	-	-	0.01	0.02	80	0.00	-	-	0.01	0.01		
White	0	0.00	0.00	0.00	0.01	0.04	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.02	0.04
	10	0.00	0.00	0.00	0.01	0.04		10	0.00	0.00	0.00	0.02	0.05
	20	0.00	0.00	0.00	0.01	0.04		20	0.00	0.00	0.00	0.02	0.05
	30	0.00	0.00	0.00	0.01	0.04		30	0.00	0.00	0.00	0.02	0.05
	40	0.00	0.00	0.00	0.01	0.04		40	0.00	0.00	0.00	0.02	0.05
	50	0.00	0.00	0.00	0.01	0.04		50	0.00	0.00	0.02	0.02	0.05
	60	0.00	0.00	0.01	0.01	0.04		60	0.00	0.02	0.02	0.02	0.05
	70	0.00	0.01	-	0.01	0.04		70	0.02	0.03	-	0.03	0.05
80	0.01	-	-	0.01	0.03	80	0.00	-	-	0.00	0.04		
Black	0	0.00	0.00	0.00	0.01	0.02	Hispanic ^b	0	0.00	0.00	0.00	0.04	0.03
	10	0.00	0.00	0.00	0.01	0.02		10	0.00	0.00	0.00	0.04	0.03
	20	0.00	0.00	0.01	0.01	0.02		20	0.00	0.00	0.00	0.04	0.03
	30	0.00	0.01	0.01	0.01	0.02		30	0.00	0.00	0.00	0.04	0.03
	40	0.00	0.01	0.01	0.01	0.02		40	0.00	0.00	0.00	0.04	0.03
	50	0.00	0.00	0.00	0.01	0.02		50	0.00	0.00	0.02	0.04	0.03
	60	0.00	0.00	0.00	0.00	0.02		60	0.00	0.01	0.03	0.04	0.03
	70	0.00	0.00	-	0.00	0.01		70	0.01	0.03	-	0.04	0.03
80	0.00	-	-	0.00	0.01	80	0.02	-	-	0.03	0.02		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.