

Table 18.12
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.76	0.43	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.54	0.28
	10	0.00	0.00	0.01	0.77	0.44		10	0.00	0.00	0.01	0.54	0.29
	20	0.00	0.01	0.04	0.77	0.44		20	0.00	0.01	0.02	0.55	0.29
	30	0.01	0.04	0.12	0.78	0.44		30	0.00	0.02	0.07	0.55	0.29
	40	0.03	0.11	0.29	0.78	0.45		40	0.02	0.06	0.17	0.54	0.29
	50	0.09	0.27	0.54	0.77	0.45		50	0.05	0.16	0.33	0.53	0.29
	60	0.19	0.48	0.68	0.72	0.45		60	0.12	0.29	0.44	0.50	0.28
	70	0.32	0.55	-	0.60	0.42		70	0.19	0.35	-	0.41	0.26
80	0.31	-	-	0.37	0.33	80	0.19	-	-	0.26	0.20		
White	0	0.00	0.00	0.00	0.70	0.40	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.65	0.37
	10	0.00	0.00	0.01	0.71	0.41		10	0.00	0.00	0.01	0.65	0.37
	20	0.00	0.01	0.03	0.71	0.41		20	0.00	0.01	0.03	0.66	0.37
	30	0.01	0.03	0.10	0.71	0.41		30	0.00	0.03	0.09	0.66	0.38
	40	0.03	0.10	0.26	0.72	0.42		40	0.03	0.09	0.23	0.68	0.39
	50	0.08	0.24	0.49	0.71	0.42		50	0.06	0.21	0.41	0.67	0.40
	60	0.17	0.44	0.63	0.67	0.42		60	0.16	0.37	0.60	0.66	0.41
	70	0.30	0.52	-	0.56	0.40		70	0.24	0.50	-	0.56	0.39
80	0.30	-	-	0.36	0.31	80	0.35	-	-	0.44	0.30		
Black	0	0.00	0.00	0.00	1.31	0.71	Hispanic ^b	0	0.00	0.00	0.00	0.79	0.42
	10	0.00	0.00	0.01	1.33	0.72		10	0.00	0.00	0.01	0.80	0.42
	20	0.00	0.01	0.08	1.34	0.73		20	0.00	0.01	0.03	0.80	0.42
	30	0.01	0.08	0.25	1.36	0.74		30	0.01	0.03	0.11	0.80	0.43
	40	0.07	0.24	0.59	1.37	0.75		40	0.03	0.11	0.28	0.80	0.43
	50	0.18	0.55	1.02	1.35	0.76		50	0.08	0.26	0.53	0.79	0.43
	60	0.41	0.92	1.23	1.28	0.77		60	0.18	0.47	0.69	0.74	0.42
	70	0.62	0.99	-	1.06	0.73		70	0.31	0.56	-	0.61	0.39
80	0.54	-	-	0.64	0.59	80	0.31	-	-	0.38	0.29		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.