

Table 18.14
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.65	0.39	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.47	0.25
	10	0.00	0.00	0.01	0.66	0.39		10	0.00	0.00	0.01	0.47	0.25
	20	0.00	0.01	0.03	0.66	0.39		20	0.00	0.01	0.02	0.47	0.25
	30	0.01	0.03	0.10	0.66	0.40		30	0.00	0.02	0.06	0.47	0.25
	40	0.03	0.10	0.24	0.66	0.40		40	0.01	0.05	0.16	0.47	0.25
	50	0.07	0.22	0.44	0.65	0.40		50	0.04	0.14	0.29	0.46	0.26
	60	0.16	0.39	0.56	0.60	0.40		60	0.11	0.26	0.38	0.43	0.25
	70	0.25	0.44	-	0.49	0.37		70	0.15	0.28	-	0.34	0.23
80	0.25	-	-	0.30	0.29	80	0.15	-	-	0.21	0.18		
White	0	0.00	0.00	0.00	0.57	0.35	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.77	0.38
	10	0.00	0.00	0.01	0.58	0.36		10	0.00	0.00	0.00	0.78	0.39
	20	0.00	0.00	0.03	0.58	0.36		20	0.00	0.00	0.03	0.78	0.39
	30	0.00	0.02	0.08	0.58	0.36		30	0.00	0.03	0.10	0.79	0.40
	40	0.02	0.08	0.21	0.58	0.36		40	0.03	0.10	0.25	0.80	0.40
	50	0.06	0.19	0.38	0.57	0.37		50	0.08	0.23	0.47	0.80	0.41
	60	0.14	0.34	0.50	0.53	0.37		60	0.15	0.41	0.67	0.76	0.42
	70	0.22	0.40	-	0.44	0.34		70	0.28	0.57	-	0.67	0.40
80	0.23	-	-	0.28	0.26	80	0.38	-	-	0.51	0.28		
Black	0	0.00	0.00	0.00	1.24	0.72	Hispanic ^b	0	0.00	0.00	0.00	0.66	0.39
	10	0.00	0.00	0.01	1.26	0.73		10	0.00	0.00	0.01	0.67	0.39
	20	0.00	0.01	0.07	1.26	0.73		20	0.00	0.01	0.03	0.67	0.39
	30	0.01	0.07	0.23	1.27	0.74		30	0.00	0.03	0.09	0.67	0.39
	40	0.06	0.22	0.53	1.28	0.75		40	0.02	0.09	0.24	0.67	0.39
	50	0.16	0.49	0.91	1.25	0.76		50	0.07	0.22	0.44	0.65	0.39
	60	0.35	0.81	1.11	1.17	0.76		60	0.16	0.38	0.56	0.61	0.38
	70	0.53	0.88	-	0.95	0.71		70	0.24	0.44	-	0.48	0.35
80	0.48	-	-	0.57	0.56	80	0.24	-	-	0.29	0.26		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.