


Table 18.19  
Myeloma

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2010-2014

Males

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	4.21	0.02		
High Five States				
Alabama	5.04	0.22	01(01,23)	19.79 <sup>c</sup>
Louisiana	4.93	0.23	02(01,28)	16.95 <sup>c</sup>
South Carolina	4.91	0.22	03(01,28)	16.48 <sup>c</sup>
North Dakota	4.81	0.53	04(01,51)	14.19
Tennessee	4.79	0.18	05(01,29)	13.80
Low Five States				
Maine	3.73	0.31	47(09,51)	-11.50
New Mexico	3.70	0.27	48(15,51)	-12.10
Arizona	3.68	0.15	49(31,51)	-12.65
Rhode Island	3.66	0.38	50(06,51)	-13.08
Hawaii	3.49	0.31	51(20,51)	-17.06 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	5.04	0.22	01(01,23)	19.79 <sup>c</sup>	Montana	4.12	0.39	33(01,51)	-2.24
Alaska	4.69	0.71	09(01,51)	11.31	Nebraska	4.34	0.31	26(01,50)	3.12
Arizona	3.68	0.15	49(31,51)	-12.65	Nevada	3.82	0.25	43(14,51)	-9.32
Arkansas	4.39	0.25	23(02,47)	4.29	New Hampshire	4.03	0.35	38(02,51)	-4.40
California	3.91	0.07	42(30,48)	-7.19	New Jersey	3.99	0.14	39(21,49)	-5.32
Colorado	3.92	0.20	41(16,51)	-7.02	New Mexico	3.70	0.27	48(15,51)	-12.10
Connecticut	3.74	0.21	46(23,51)	-11.07	New York	3.77	0.09	45(33,51)	-10.41
Delaware	4.16	0.42	29(01,51)	-1.22	North Carolina	4.47	0.15	21(04,36)	6.20
D.C.	4.79	0.65	06(01,51)	13.77	North Dakota	4.81	0.53	04(01,51)	14.19
Florida	3.79	0.08	44(33,50)	-10.03	Ohio	4.54	0.13	16(03,32)	7.89
Georgia	4.67	0.16	10(01,31)	10.80	Oklahoma	4.49	0.23	19(02,42)	6.64
Hawaii	3.49	0.31	51(20,51)	-17.06 <sup>c</sup>	Oregon	4.54	0.22	17(01,40)	7.73
Idaho	4.14	0.33	31(01,51)	-1.62	Pennsylvania	4.15	0.11	30(18,43)	-1.36
Illinois	4.31	0.12	27(10,39)	2.25	Rhode Island	3.66	0.38	50(06,51)	-13.08
Indiana	4.73	0.18	08(01,29)	12.40	South Carolina	4.91	0.22	03(01,28)	16.48 <sup>c</sup>
Iowa	4.58	0.24	14(01,42)	8.74	South Dakota	4.04	0.43	37(01,51)	-4.16
Kansas	4.64	0.26	11(01,40)	10.10	Tennessee	4.79	0.18	05(01,29)	13.80
Kentucky	4.49	0.21	20(02,40)	6.54	Texas	4.12	0.09	32(20,43)	-2.06
Louisiana	4.93	0.23	02(01,28)	16.95 <sup>c</sup>	Utah	4.39	0.31	24(01,49)	4.18
Maine	3.73	0.31	47(09,51)	-11.50	Vermont	4.07	0.49	35(01,51)	-3.43
Maryland	4.51	0.19	18(02,39)	7.20	Virginia	4.56	0.16	15(02,34)	8.39
Massachusetts	3.92	0.16	40(22,50)	-7.02	Washington	4.05	0.16	36(17,49)	-3.73
Michigan	4.60	0.14	13(02,31)	9.30	West Virginia	4.18	0.29	28(03,51)	-0.65
Minnesota	4.37	0.19	25(04,43)	3.77	Wisconsin	4.62	0.18	12(01,34)	9.65
Mississippi	4.78	0.28	07(01,39)	13.41	Wyoming	4.09	0.57	34(01,51)	-2.96
Missouri	4.42	0.17	22(03,39)	4.93					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.