

Table 19.16
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.01	0.03	0.06	2.11	0.75	Asian/ Pacific Islander	0	0.01	0.03	0.06	1.85	0.74
	10	0.02	0.05	0.10	2.12	0.75		10	0.02	0.05	0.09	1.85	0.74
	20	0.03	0.09	0.20	2.11	0.76		20	0.03	0.07	0.15	1.84	0.74
	30	0.06	0.17	0.41	2.10	0.76		30	0.04	0.13	0.28	1.82	0.74
	40	0.12	0.36	0.80	2.07	0.76		40	0.08	0.24	0.55	1.78	0.74
	50	0.25	0.70	1.36	2.00	0.77		50	0.16	0.47	0.99	1.72	0.74
	60	0.49	1.18	1.73	1.87	0.77		60	0.32	0.85	1.38	1.61	0.73
	70	0.79	1.41	-	1.56	0.74		70	0.57	1.13	-	1.38	0.69
White	80	0.83	-	-	1.04	0.63	American Indian/ Alaska Native ^a	80	0.67	-	-	0.96	0.57
	0	0.01	0.03	0.05	2.21	0.78		0	0.01	0.02	0.04	1.26	0.50
	10	0.02	0.05	0.10	2.22	0.79		10	0.02	0.03	0.06	1.26	0.51
	20	0.03	0.08	0.20	2.21	0.79		20	0.01	0.05	0.10	1.25	0.51
	30	0.06	0.17	0.42	2.20	0.80		30	0.03	0.09	0.21	1.26	0.52
	40	0.12	0.37	0.84	2.17	0.80		40	0.06	0.18	0.42	1.26	0.53
	50	0.26	0.74	1.44	2.11	0.81		50	0.13	0.38	0.71	1.25	0.54
	60	0.51	1.26	1.83	1.96	0.81		60	0.26	0.63	1.01	1.20	0.56
Black	70	0.84	1.50	-	1.64	0.78	Hispanic ^b	70	0.41	0.85	-	1.07	0.57
	80	0.88	-	-	1.08	0.66		80	0.59	-	-	0.89	0.54
	0	0.01	0.02	0.06	1.31	0.44		0	0.01	0.02	0.04	2.16	0.77
	10	0.02	0.05	0.12	1.33	0.45		10	0.01	0.04	0.09	2.17	0.77
	20	0.03	0.10	0.22	1.31	0.45		20	0.02	0.07	0.18	2.16	0.77
	30	0.07	0.19	0.41	1.30	0.45		30	0.05	0.15	0.38	2.16	0.78
	40	0.12	0.34	0.65	1.25	0.45		40	0.10	0.34	0.77	2.12	0.78
	50	0.23	0.55	0.90	1.17	0.45		50	0.24	0.67	1.32	2.06	0.77
	60	0.35	0.73	0.97	1.04	0.44		60	0.46	1.14	1.71	1.90	0.77
	70	0.45	0.74	-	0.82	0.41		70	0.75	1.38	-	1.59	0.73
	80	0.42	-	-	0.53	0.34		80	0.79	-	-	1.06	0.59

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.