

Table 19.18
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.01	0.02	0.04	1.87	0.66	Asian/ Pacific Islander	0	0.01	0.02	0.05	1.61	0.65
	10	0.01	0.04	0.08	1.88	0.67		10	0.02	0.04	0.08	1.62	0.66
	20	0.02	0.07	0.17	1.87	0.67		20	0.02	0.06	0.12	1.60	0.66
	30	0.05	0.14	0.35	1.86	0.67		30	0.04	0.10	0.23	1.58	0.66
	40	0.10	0.30	0.68	1.82	0.67		40	0.07	0.20	0.44	1.55	0.66
	50	0.21	0.59	1.17	1.76	0.67		50	0.13	0.38	0.82	1.50	0.65
	60	0.40	1.01	1.50	1.63	0.67		60	0.25	0.70	1.17	1.40	0.65
	70	0.67	1.21	-	1.35	0.65		70	0.47	0.96	-	1.21	0.61
White	80	0.69	-	-	0.87	0.55	American Indian/ Alaska Native ^a	80	0.57	-	-	0.85	0.50
	0	0.01	0.02	0.04	1.96	0.69		0	0.00	0.01	0.02	1.22	0.42
	10	0.01	0.04	0.08	1.97	0.70		10	0.01	0.02	0.03	1.23	0.42
	20	0.02	0.07	0.17	1.96	0.70		20	0.01	0.03	0.07	1.22	0.42
	30	0.05	0.14	0.35	1.95	0.70		30	0.02	0.06	0.19	1.23	0.43
	40	0.10	0.31	0.71	1.92	0.70		40	0.04	0.17	0.39	1.23	0.44
	50	0.22	0.63	1.24	1.85	0.71		50	0.13	0.35	0.74	1.23	0.45
	60	0.43	1.08	1.59	1.71	0.71		60	0.23	0.64	1.05	1.15	0.46
Black	70	0.71	1.28	-	1.41	0.68	Hispanic ^b	70	0.45	0.90	-	1.02	0.46
	80	0.73	-	-	0.90	0.57		80	0.59	-	-	0.74	0.38
	0	0.01	0.02	0.04	1.21	0.41		0	0.00	0.02	0.04	2.01	0.68
	10	0.01	0.03	0.09	1.23	0.42		10	0.01	0.03	0.08	2.03	0.69
	20	0.02	0.08	0.18	1.22	0.42		20	0.02	0.06	0.16	2.02	0.69
	30	0.06	0.16	0.34	1.20	0.42		30	0.04	0.14	0.34	2.00	0.69
	40	0.10	0.29	0.57	1.16	0.42		40	0.09	0.30	0.70	1.97	0.68
	50	0.19	0.48	0.81	1.09	0.41		50	0.21	0.62	1.21	1.90	0.68
	60	0.31	0.66	0.89	0.96	0.41		60	0.42	1.03	1.55	1.74	0.67
	70	0.41	0.67	-	0.76	0.37		70	0.65	1.22	-	1.43	0.63
	80	0.37	-	-	0.48	0.31		80	0.68	-	-	0.93	0.52

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.