


Table 19.23
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014


Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.58	0.03		
High Five States				
Kentucky	9.01	0.31	01(01,14)	18.82 ^c
Michigan	8.78	0.19	02(01,12)	15.80 ^c
Iowa	8.73	0.33	03(01,21)	15.16 ^c
Indiana	8.59	0.24	04(01,18)	13.33
Louisiana	8.57	0.30	05(01,21)	13.03
Low Five States				
Hawaii	6.72	0.43	47(14,51)	-11.31
Wyoming	6.61	0.72	48(03,51)	-12.86
Colorado	6.58	0.26	49(27,51)	-13.23
D.C.	6.10	0.73	50(08,51)	-19.60 ^c
New Mexico	5.95	0.34	51(39,51)	-21.46 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.55	0.27	23(09,45)	-0.47	Montana	7.55	0.53	22(01,50)	-0.36
Alaska	7.07	0.83	39(01,51)	-6.79	Nebraska	7.26	0.40	31(07,50)	-4.29
Arizona	6.81	0.20	45(26,50)	-10.17	Nevada	6.87	0.34	42(16,51)	-9.36
Arkansas	7.63	0.33	20(05,46)	0.61	New Hampshire	6.84	0.46	44(11,51)	-9.78
California	7.08	0.09	38(26,45)	-6.57	New Jersey	7.26	0.19	30(17,46)	-4.24
Colorado	6.58	0.26	49(27,51)	-13.23	New Mexico	5.95	0.34	51(39,51)	-21.46 ^c
Connecticut	7.12	0.28	36(15,50)	-6.06	New York	7.28	0.13	29(19,44)	-3.92
Delaware	7.85	0.59	18(01,50)	3.50	North Carolina	7.43	0.19	27(14,43)	-1.94
D.C.	6.10	0.73	50(08,51)	-19.60 ^c	North Dakota	6.95	0.63	41(03,51)	-8.31
Florida	7.21	0.11	33(22,44)	-4.91	Ohio	8.47	0.17	07(01,17)	11.71
Georgia	7.14	0.20	35(19,48)	-5.86	Oklahoma	8.33	0.31	08(01,28)	9.94
Hawaii	6.72	0.43	47(14,51)	-11.31	Oregon	8.24	0.29	11(01,31)	8.72
Idaho	7.95	0.47	16(01,47)	4.83	Pennsylvania	8.26	0.16	10(03,20)	8.96
Illinois	7.85	0.17	17(08,29)	3.54	Rhode Island	6.85	0.51	43(07,51)	-9.71
Indiana	8.59	0.24	04(01,18)	13.33	South Carolina	7.19	0.26	34(15,49)	-5.16
Iowa	8.73	0.33	03(01,21)	15.16 ^c	South Dakota	7.51	0.59	25(01,51)	-0.94
Kansas	7.66	0.34	19(04,46)	1.01	Tennessee	8.31	0.24	09(01,23)	9.65
Kentucky	9.01	0.31	01(01,14)	18.82 ^c	Texas	7.36	0.13	28(18,41)	-2.85
Louisiana	8.57	0.30	05(01,21)	13.03	Utah	6.76	0.38	46(15,51)	-10.81
Maine	7.59	0.46	21(02,49)	0.10	Vermont	8.02	0.71	14(01,50)	5.81
Maryland	7.11	0.24	37(17,49)	-6.17	Virginia	7.46	0.21	26(12,44)	-1.57
Massachusetts	7.07	0.21	40(19,49)	-6.80	Washington	7.95	0.23	15(04,32)	4.90
Michigan	8.78	0.19	02(01,12)	15.80 ^c	West Virginia	8.09	0.40	12(01,41)	6.77
Minnesota	8.57	0.26	06(01,20)	13.02	Wisconsin	8.07	0.24	13(03,29)	6.39
Mississippi	7.25	0.34	32(10,49)	-4.40	Wyoming	6.61	0.72	48(03,51)	-12.86
Missouri	7.51	0.23	24(11,44)	-0.92					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



U.S. rate: 7.58

- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.