

Table 20.12
Cancer of the Oral Cavity and Pharynx (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males and Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
Survival Time																							
1-year	79.3	79.1	80.4	81.1	82.7	81.8	83.3	80.8	83.6	84.5	82.4	83.4	83.9	84.4	83.4	85.1	84.8	86.2	85.8	87.3	87.1	85.7	85.9
2-year	65.8	65.9	67.5	69.4	71.5	69.7	71.3	70.1	72.3	73.6	73.0	72.7	75.0	75.3	73.9	75.3	76.1	77.4	77.5	78.5	78.5	78.0	
3-year	59.8	59.5	61.0	63.2	65.3	63.5	66.2	64.3	65.5	68.6	67.0	67.4	70.3	70.7	68.7	70.6	71.2	71.7	73.0	74.1	74.0		
4-year	55.9	55.5	57.1	59.0	61.4	60.0	62.1	60.1	62.1	64.8	62.4	64.1	67.1	66.9	65.8	67.3	68.3	68.2	69.6	70.9			
5-year	52.8	52.3	54.0	56.1	58.5	57.7	58.5	57.1	58.9	62.0	60.0	61.7	65.1	64.9	63.9	65.0	66.4	66.2	67.2				
6-year	50.5	49.6	51.5	53.6	56.0	55.2	56.0	55.4	56.2	59.8	57.9	59.9	63.9	62.1	61.6	62.8	64.9	64.2					
7-year	48.4	47.5	49.0	51.5	53.5	53.3	54.3	53.9	53.9	57.7	56.1	58.4	62.3	60.4	59.9	61.3	62.6						
8-year	46.2	45.9	46.9	49.4	51.2	51.1	53.2	52.7	52.1	55.5	53.8	56.2	60.8	59.2	58.1	59.3							
9-year	44.3	43.9	45.1	47.1	49.3	49.7	51.7	52.1	50.3	53.8	51.5	54.4	58.3	57.1	56.6								
10-year	42.3	42.2	43.3	45.4	47.8	47.6	49.9	50.9	48.9	52.1	49.4	52.5	57.3	55.4									
11-year	40.4	40.7	42.1	43.6	46.0	46.3	47.8	48.8	48.0	50.4	48.2	50.8	55.4										
12-year	39.0	39.3	40.5	42.4	44.1	45.3	46.1	47.6	46.6	48.6	46.3	50.3											
13-year	37.7	37.6	38.9	40.8	42.5	43.0	44.6	46.0	46.0	47.6	45.9												
14-year	36.7	36.5	37.7	39.6	40.0	41.3	43.7	44.1	44.6	46.4													
15-year	35.3	35.0	36.6	38.5	38.5	39.9	42.4	43.4	43.0														
16-year	33.9	33.8	35.5	37.4	37.6	38.9	41.2	42.3															
17-year	32.9	32.8	34.5	36.3	36.5	38.0	40.3																
18-year	31.9	31.7	33.2	35.2	35.1	37.2																	
19-year	31.1	30.2	31.9	34.2	34.5																		
20-year	29.9	29.6	31.3	33.3																			

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).