


Table 20.24
Cancer of the Oral Cavity and Pharynx (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2010-2014

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.47	0.01		
High Five States				
Mississippi	3.60	0.15	01(01,05)	45.87 ^c
Louisiana	3.29	0.12	02(01,09)	32.99 ^c
Arkansas	3.21	0.14	03(01,12)	29.85 ^c
Tennessee	3.13	0.09	04(02,11)	26.50 ^c
D.C.	3.12	0.32	05(01,40)	26.24 ^c
Low Five States				
Arizona	1.94	0.07	47(39,51)	-21.67 ^c
Connecticut	1.88	0.09	48(40,51)	-23.96 ^c
Colorado	1.87	0.09	49(41,51)	-24.46 ^c
Rhode Island	1.86	0.17	50(30,51)	-24.77 ^c
Utah	1.74	0.13	51(41,51)	-29.66 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.67	0.10	15(06,33)	8.25	Montana	2.35	0.19	34(07,50)	-4.95
Alaska	2.37	0.30	31(02,51)	-4.26	Nebraska	2.25	0.15	39(14,50)	-8.75
Arizona	1.94	0.07	47(39,51)	-21.67 ^c	Nevada	2.49	0.13	23(09,43)	0.70
Arkansas	3.21	0.14	03(01,12)	29.85 ^c	New Hampshire	2.28	0.17	38(11,50)	-7.80
California	2.44	0.04	26(20,36)	-1.32	New Jersey	2.00	0.06	45(38,50)	-19.26 ^c
Colorado	1.87	0.09	49(41,51)	-24.46 ^c	New Mexico	2.35	0.14	33(11,47)	-4.90
Connecticut	1.88	0.09	48(40,51)	-23.96 ^c	New York	2.14	0.04	43(35,46)	-13.53
Delaware	2.84	0.23	11(01,40)	15.11 ^c	North Carolina	2.64	0.07	18(09,29)	6.78
D.C.	3.12	0.32	05(01,40)	26.24 ^c	North Dakota	2.06	0.23	44(11,51)	-16.71 ^c
Florida	2.64	0.05	17(10,25)	6.96	Ohio	2.51	0.06	21(13,35)	1.77
Georgia	2.65	0.08	16(08,29)	7.42	Oklahoma	2.77	0.11	12(04,29)	12.17
Hawaii	2.74	0.18	13(03,39)	10.74	Oregon	2.42	0.10	27(12,42)	-2.00
Idaho	2.39	0.17	29(08,48)	-3.24	Pennsylvania	2.17	0.05	41(32,46)	-12.05
Illinois	2.45	0.06	25(16,38)	-0.79	Rhode Island	1.86	0.17	50(30,51)	-24.77 ^c
Indiana	2.37	0.08	32(18,42)	-4.27	South Carolina	2.93	0.10	08(03,18)	18.56 ^c
Iowa	2.33	0.11	35(15,46)	-5.88	South Dakota	2.23	0.22	40(09,51)	-9.60
Kansas	1.99	0.11	46(32,51)	-19.53 ^c	Tennessee	3.13	0.09	04(02,11)	26.50 ^c
Kentucky	3.05	0.11	06(02,14)	23.24 ^c	Texas	2.62	0.05	19(11,26)	5.91
Louisiana	3.29	0.12	02(01,09)	32.99 ^c	Utah	1.74	0.13	51(41,51)	-29.66 ^c
Maine	2.71	0.17	14(03,39)	9.51	Vermont	2.89	0.28	09(01,42)	16.92 ^c
Maryland	2.30	0.09	37(20,44)	-6.81	Virginia	2.37	0.07	30(18,42)	-4.10
Massachusetts	2.48	0.08	24(13,39)	0.17	Washington	2.85	0.09	10(04,20)	15.22 ^c
Michigan	2.54	0.07	20(12,35)	2.62	West Virginia	3.00	0.16	07(01,22)	21.39 ^c
Minnesota	2.16	0.08	42(28,48)	-12.69	Wisconsin	2.41	0.09	28(14,41)	-2.34
Mississippi	3.60	0.15	01(01,05)	45.87 ^c	Wyoming	2.31	0.27	36(04,51)	-6.68
Missouri	2.50	0.08	22(12,38)	1.11					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.