

Table 24.12
Cancer of the Stomach (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.84	0.38	Asian/ Pacific Islander	0	0.00	0.00	0.01	1.67	1.00
	10	0.00	0.00	0.02	0.85	0.39		10	0.00	0.01	0.02	1.68	1.00
	20	0.00	0.02	0.06	0.85	0.39		20	0.01	0.02	0.07	1.69	1.00
	30	0.02	0.06	0.15	0.86	0.39		30	0.02	0.07	0.19	1.69	1.01
	40	0.04	0.14	0.31	0.85	0.39		40	0.05	0.17	0.41	1.68	1.00
	50	0.10	0.27	0.54	0.83	0.39		50	0.12	0.37	0.84	1.65	0.99
	60	0.19	0.47	0.71	0.78	0.37		60	0.25	0.74	1.30	1.57	0.96
	70	0.32	0.59	-	0.66	0.34		70	0.52	1.12	-	1.41	0.90
White	80	0.36	-	-	0.46	0.27	American Indian/ Alaska Native ^a	80	0.71	-	-	1.05	0.77
	0	0.00	0.00	0.00	0.74	0.34		0	0.00	0.00	0.00	1.23	0.64
	10	0.00	0.00	0.02	0.75	0.34		10	0.00	0.00	0.02	1.25	0.65
	20	0.00	0.02	0.06	0.75	0.34		20	0.00	0.02	0.08	1.25	0.65
	30	0.01	0.05	0.14	0.75	0.34		30	0.02	0.08	0.19	1.27	0.66
	40	0.04	0.12	0.28	0.75	0.34		40	0.06	0.17	0.40	1.28	0.67
	50	0.09	0.24	0.48	0.72	0.34		50	0.12	0.36	0.77	1.27	0.68
	60	0.17	0.42	0.62	0.68	0.32		60	0.26	0.70	1.09	1.24	0.67
Black	70	0.28	0.51	-	0.57	0.29	Hispanic ^b	70	0.50	0.95	-	1.12	0.64
	80	0.31	-	-	0.39	0.23		80	0.61	-	-	0.83	0.56
	0	0.00	0.00	0.00	1.00	0.62		0	0.00	0.00	0.01	1.35	0.75
	10	0.00	0.00	0.02	1.02	0.63		10	0.00	0.01	0.03	1.36	0.76
	20	0.00	0.02	0.07	1.03	0.64		20	0.01	0.03	0.09	1.37	0.76
	30	0.01	0.06	0.19	1.04	0.64		30	0.03	0.09	0.22	1.37	0.77
	40	0.05	0.18	0.41	1.04	0.65		40	0.06	0.20	0.43	1.35	0.76
	50	0.13	0.37	0.70	1.03	0.65		50	0.14	0.37	0.77	1.32	0.74
	60	0.26	0.62	0.90	0.98	0.64		60	0.25	0.67	1.06	1.23	0.71
	70	0.43	0.77	-	0.86	0.60		70	0.46	0.90	-	1.08	0.65
	80	0.50	-	-	0.63	0.51		80	0.55	-	-	0.78	0.53

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.