

Table 24.13
Cancer of the Stomach (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2012-2014 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	1.05	0.47	Asian/ Pacific Islander	0	0.00	0.00	0.01	2.00	1.17
	10	0.00	0.00	0.02	1.06	0.47		10	0.00	0.01	0.02	2.01	1.18
	20	0.00	0.02	0.07	1.07	0.47		20	0.01	0.02	0.07	2.02	1.18
	30	0.02	0.06	0.18	1.07	0.48		30	0.01	0.07	0.23	2.02	1.19
	40	0.05	0.17	0.40	1.08	0.48		40	0.06	0.22	0.54	2.02	1.19
	50	0.12	0.36	0.72	1.06	0.48		50	0.16	0.49	1.12	2.00	1.18
	60	0.26	0.64	0.93	1.00	0.46		60	0.34	0.99	1.65	1.91	1.15
	70	0.45	0.79	-	0.87	0.42		70	0.71	1.42	-	1.71	1.08
80	0.48	-	-	0.60	0.34	80	0.88	-	-	1.24	0.93		
White	0	0.00	0.00	0.00	0.94	0.41	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	1.27	0.78
	10	0.00	0.00	0.02	0.95	0.41		10	0.00	0.01	0.03	1.29	0.80
	20	0.00	0.02	0.06	0.95	0.42		20	0.01	0.03	0.10	1.30	0.80
	30	0.01	0.06	0.17	0.96	0.42		30	0.03	0.09	0.24	1.32	0.82
	40	0.05	0.15	0.37	0.96	0.42		40	0.07	0.22	0.50	1.34	0.85
	50	0.11	0.33	0.65	0.94	0.42		50	0.16	0.45	0.96	1.33	0.87
	60	0.23	0.58	0.83	0.89	0.40		60	0.32	0.88	1.26	1.28	0.85
	70	0.40	0.69	-	0.77	0.37		70	0.65	1.11	-	1.13	0.84
80	0.42	-	-	0.53	0.30	80	0.65	-	-	0.68	0.75		
Black	0	0.00	0.00	0.00	1.21	0.76	Hispanic ^b	0	0.00	0.00	0.01	1.55	0.91
	10	0.00	0.00	0.02	1.24	0.78		10	0.00	0.01	0.03	1.56	0.92
	20	0.00	0.02	0.08	1.24	0.78		20	0.00	0.03	0.09	1.57	0.92
	30	0.02	0.07	0.24	1.26	0.79		30	0.02	0.09	0.24	1.58	0.93
	40	0.06	0.23	0.54	1.28	0.81		40	0.07	0.22	0.49	1.57	0.92
	50	0.18	0.50	0.91	1.28	0.81		50	0.16	0.44	0.93	1.54	0.91
	60	0.36	0.82	1.17	1.23	0.80		60	0.29	0.82	1.25	1.46	0.88
	70	0.58	1.02	-	1.10	0.77		70	0.59	1.08	-	1.32	0.83
80	0.70	-	-	0.83	0.64	80	0.65	-	-	0.96	0.67		

Devcan 6.7.5, April 2017, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.