

Table 1.25
Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

			Males					
All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2011-2015	2006-2015		2011-2015	2006-2015		2011-2015	2006-2015
All Sites	483.0	-2.2*	All Sites	488.5	-2.2*	All Sites	535.0	-3.1*
Prostate	112.6	-6.0*	Prostate	105.7	-6.5*	Prostate	178.3	-5.5*
Lung and Bronchus	63.8	-3.1*	Lung and Bronchus	63.9	-3.1*	Lung and Bronchus	81.2	-3.4*
Colon and Rectum	45.2	-2.8*	Colon and Rectum	44.4	-2.9*	Colon and Rectum	55.5	-3.3*
Urinary Bladder	34.3	-1.5*	Urinary Bladder	37.6	-1.5*	Kidney and Renal Pelvis	25.3	0.7
Melanoma of the Skin	29.8	1.6*	Melanoma of the Skin	35.2	1.6*	Urinary Bladder	20.6	-0.8
Non-Hodgkin Lymphoma	23.6	-0.4*	Non-Hodgkin Lymphoma	24.7	-0.5*	Non-Hodgkin Lymphoma	17.5	-0.1
Kidney and Renal Pelvis	21.7	0.5	Kidney and Renal Pelvis	22.2	0.5	Liver & IBD ^f	17.3	2.6*
Leukemia	17.6	0.3	Leukemia	18.6	0.2	Pancreas	16.9	-0.4
Oral Cavity and Pharynx	17.1	0.8*	Oral Cavity and Pharynx	18.0	1.1*	Myeloma	15.9	0.4
Pancreas	14.4	0.5*	Pancreas	14.4	0.6*	Leukemia	14.0	0.5
Liver & IBD ^f	13.6	2.3*	Liver & IBD ^f	12.2	2.8*	Oral Cavity and Pharynx	14.0	-1.8*
Stomach	9.8	-1.2*	Stomach	8.9	-0.9*	Stomach	13.6	-3.3*
Myeloma	8.4	1.2*	Brain and ONS ^f	8.3	-0.5*	Larynx	8.3	-3.2*
Brain and ONS ^f	7.5	-0.6*	Myeloma	7.9	1.2*	Esophagus	6.4	-5.3*
Thyroid	7.3	3.5*	Thyroid	7.8	3.4*	Brain and ONS ^f	4.8	-0.5
Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
	2011-2015	2006-2015		2011-2015	2006-2015		2011-2015	2006-2015
All Sites	303.5	-2.6*	All Sites	325.6	-1.7*	All Sites	362.9	-2.6*
Prostate	59.1	-7.2*	Prostate	54.8	-7.1*	Prostate	91.8	-6.5*
Lung and Bronchus	45.9	-2.3*	Lung and Bronchus	45.4	-2.4*	Colon and Rectum	39.7	-2.7*
Colon and Rectum	39.3	-2.7*	Colon and Rectum	45.1	0.2	Lung and Bronchus	34.1	-3.5*
Liver & IBD ^f	20.2	-1.8*	Kidney and Renal Pelvis	22.6	-3.3*	Kidney and Renal Pelvis	20.7	0.5
Non-Hodgkin Lymphoma	16.7	0.1	Liver & IBD ^f	18.5	0.3	Non-Hodgkin Lymphoma	20.2	-0.5
Urinary Bladder	15.0	-1.9*	Urinary Bladder	14.7	-1.5	Liver & IBD ^f	19.8	1.3*
Stomach	13.6	-3.0*	Stomach	13.7	-0.1	Urinary Bladder	18.9	-1.9*
Kidney and Renal Pelvis	12.2	1.1	Non-Hodgkin Lymphoma	12.9	-2.5	Leukemia	12.8	-0.3
Oral Cavity and Pharynx	11.1	-0.1	Oral Cavity and Pharynx	12.3	0.9	Stomach	12.8	-2.7*
Pancreas	11.0	0.2	Pancreas	11.3	-	Pancreas	12.0	-0.2
Leukemia	9.7	0.1	Leukemia	10.6	2.7	Oral Cavity and Pharynx	9.6	-0.3
Thyroid	7.0	4.4*	Myeloma	6.2	-	Myeloma	7.6	1.2
Myeloma	4.9	0.7	Testis	5.6	5.2	Brain and ONS ^f	5.7	-0.6
Brain and ONS ^f	4.3	-0.5	Esophagus	5.1	-	Testis	5.3	2.6*
Esophagus	3.3	-2.3	Melanoma of the Skin	5.0	-	Thyroid	5.3	3.5*

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

^a Top 15 cancer sites selected based on 2011-2015 age-adjusted rates for the race/ethnic group.

^b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^c The APC is the Annual Percent Change over the time interval.

Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^d Rates for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^e Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^f IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.

* The APC is significantly different from zero (p<.05).

- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.