

Table 2.16
All Cancer Sites (Invasive)

Age-Adjusted SEER Incidence Rates^a
By Registry, Race and Sex

| | All Races | | | Whites | | | Blacks | | |
|--|-----------|--------|---------|--------|--------|---------|--------|--------|---------|
| | Total | Males | Females | Total | Males | Females | Total | Males | Females |
| <u>SEER Incidence Rates^a, 2011-2015</u> | | | | | | | | | |
| California | 403.97 | 438.14 | 382.12 | 417.49 | 449.27 | 397.85 | 418.93 | 477.41 | 377.67 |
| Greater Bay Area | 406.77 | 441.82 | 384.60 | 435.69 | 471.02 | 413.79 | 446.20 | 510.02 | 399.55 |
| San Francisco-Oakland | 411.57 | 446.57 | 389.49 | 439.22 | 473.46 | 418.29 | 455.42 | 524.94 | 405.30 |
| San Jose-Monterey | 397.62 | 432.94 | 375.04 | 429.52 | 466.67 | 406.02 | 390.76 | 426.68 | 360.98 |
| Los Angeles | 381.68 | 412.80 | 363.49 | 391.43 | 418.66 | 376.76 | 419.65 | 476.83 | 382.57 |
| Greater California | 413.12 | 448.11 | 389.89 | 422.51 | 454.82 | 401.74 | 405.94 | 462.74 | 362.27 |
| Connecticut | 470.75 | 507.59 | 448.53 | 472.28 | 504.41 | 454.28 | 429.17 | 503.80 | 380.53 |
| Detroit | 495.36 | 555.87 | 454.39 | 497.29 | 547.45 | 465.73 | 509.27 | 609.52 | 441.42 |
| Georgia | 454.60 | 519.50 | 409.82 | 461.72 | 516.76 | 424.53 | 452.96 | 550.19 | 390.63 |
| Atlanta | 449.77 | 513.10 | 408.60 | 463.36 | 512.59 | 434.45 | 453.80 | 551.18 | 393.74 |
| Rural Georgia | 450.09 | 519.30 | 401.74 | 451.99 | 503.74 | 415.04 | 448.30 | 560.32 | 379.32 |
| Greater Georgia | 457.72 | 523.08 | 411.73 | 461.93 | 519.56 | 421.48 | 453.36 | 548.86 | 390.60 |
| Hawaii | 408.73 | 429.22 | 399.48 | 479.13 | 507.17 | 455.85 | 422.32 | 489.01 | 333.64 |
| Iowa | 465.26 | 512.97 | 433.33 | 464.48 | 510.14 | 434.30 | 487.25 | 551.39 | 438.95 |
| Kentucky | 509.89 | 570.20 | 468.81 | 508.56 | 564.02 | 471.55 | 491.62 | 562.12 | 444.42 |
| Louisiana | 475.92 | 557.24 | 415.61 | 473.55 | 544.78 | 420.62 | 493.35 | 605.06 | 415.36 |
| New Jersey | 477.52 | 525.19 | 447.61 | 488.04 | 530.03 | 463.23 | 441.48 | 514.70 | 396.19 |
| New Mexico | 369.66 | 386.50 | 359.93 | 375.32 | 390.06 | 367.33 | 312.99 | 350.32 | 281.24 |
| Seattle-Puget Sound | 464.18 | 501.08 | 440.42 | 475.92 | 510.83 | 453.77 | 447.16 | 510.05 | 391.16 |
| Utah | 400.12 | 438.76 | 371.34 | 402.83 | 440.90 | 374.50 | 385.85 | 442.47 | 324.44 |
| SEER 9 Areas ^b | 444.92 | 485.63 | 418.16 | 455.51 | 492.46 | 432.20 | 464.98 | 550.19 | 406.80 |
| SEER 13 Areas ^b | 428.19 | 466.66 | 403.42 | 440.55 | 475.85 | 418.70 | 452.94 | 530.71 | 400.06 |
| SEER 18 Areas ^b | 439.18 | 483.00 | 409.94 | 448.76 | 488.48 | 423.12 | 453.42 | 535.03 | 397.81 |

^a Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.