


Table 2.18  
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates by State, All Races, 2011-2015

Males and Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	163.53	0.10		
High Five States				
Kentucky	199.32	0.90	01(01,01)	21.89 <sup>c</sup>
Mississippi	194.88	1.10	02(02,03)	19.17 <sup>c</sup>
West Virginia	193.12	1.27	03(02,04)	18.10 <sup>c</sup>
Louisiana	187.78	0.88	04(03,06)	14.83 <sup>c</sup>
Arkansas	187.52	1.05	05(04,07)	14.67 <sup>c</sup>
Low Five States				
Arizona	145.20	0.62	47(46,48)	-11.21 <sup>c</sup>
New Mexico	145.01	1.12	48(46,48)	-11.32 <sup>c</sup>
Colorado	139.60	0.75	49(49,49)	-14.63 <sup>c</sup>
Hawaii	136.07	1.28	50(50,50)	-16.79 <sup>c</sup>
Utah	127.23	1.06	51(51,51)	-22.19 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	181.35	0.81	08(07,10)	10.90 <sup>c</sup>	Montana	157.26	1.59	37(34,44)	-3.83
Alaska	168.37	2.63	20(12,31)	2.96	Nebraska	161.23	1.25	32(28,37)	-1.41
Arizona	145.20	0.62	47(46,48)	-11.21 <sup>c</sup>	Nevada	164.08	1.08	29(21,32)	0.34
Arkansas	187.52	1.05	05(04,07)	14.67 <sup>c</sup>	New Hampshire	164.93	1.46	27(21,35)	0.86
California	147.49	0.28	46(45,47)	-9.81 <sup>c</sup>	New Jersey	157.69	0.56	36(33,37)	-3.57
Colorado	139.60	0.75	49(49,49)	-14.63 <sup>c</sup>	New Mexico	145.01	1.12	48(46,48)	-11.32 <sup>c</sup>
Connecticut	150.11	0.84	44(42,45)	-8.20 <sup>c</sup>	New York	154.98	0.37	41(38,43)	-5.23 <sup>c</sup>
Delaware	171.12	1.76	18(12,23)	4.64	North Carolina	169.28	0.56	19(17,22)	3.52
D.C.	176.85	2.45	12(08,20)	8.14 <sup>c</sup>	North Dakota	153.14	1.95	43(37,46)	-6.35 <sup>c</sup>
Florida	154.84	0.34	42(38,43)	-5.31 <sup>c</sup>	Ohio	179.34	0.51	10(09,12)	9.67 <sup>c</sup>
Georgia	167.63	0.60	22(20,26)	2.51	Oklahoma	185.95	0.94	06(05,08)	13.71 <sup>c</sup>
Hawaii	136.07	1.28	50(50,50)	-16.79 <sup>c</sup>	Oregon	164.77	0.85	28(22,32)	0.76
Idaho	155.05	1.36	40(37,45)	-5.18 <sup>c</sup>	Pennsylvania	171.64	0.46	17(15,20)	4.96
Illinois	171.82	0.50	16(15,20)	5.07 <sup>c</sup>	Rhode Island	166.78	1.62	24(16,31)	1.99
Indiana	180.98	0.71	09(08,11)	10.67 <sup>c</sup>	South Carolina	174.53	0.81	14(11,16)	6.73 <sup>c</sup>
Iowa	167.80	0.95	21(20,29)	2.61	South Dakota	160.27	1.81	33(24,39)	-1.99
Kansas	166.28	1.02	25(21,32)	1.68	Tennessee	185.38	0.71	07(04,07)	13.36 <sup>c</sup>
Kentucky	199.32	0.90	01(01,01)	21.89 <sup>c</sup>	Texas	156.39	0.36	38(36,39)	-4.37
Louisiana	187.78	0.88	04(03,06)	14.83 <sup>c</sup>	Utah	127.23	1.06	51(51,51)	-22.19 <sup>c</sup>
Maine	176.39	1.41	13(10,18)	7.86 <sup>c</sup>	Vermont	167.57	2.09	23(14,31)	2.47
Maryland	162.32	0.72	31(26,33)	-0.74	Virginia	163.76	0.62	30(25,32)	0.14
Massachusetts	159.58	0.64	34(31,36)	-2.42	Washington	159.27	0.66	35(32,37)	-2.60
Michigan	172.74	0.55	15(13,18)	5.63 <sup>c</sup>	West Virginia	193.12	1.27	03(02,04)	18.10 <sup>c</sup>
Minnesota	155.35	0.72	39(37,43)	-5.00 <sup>c</sup>	Wisconsin	165.22	0.70	26(21,30)	1.04
Mississippi	194.88	1.10	02(02,03)	19.17 <sup>c</sup>	Wyoming	147.59	2.21	45(37,48)	-9.74 <sup>c</sup>
Missouri	178.14	0.71	11(09,13)	8.94 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.