

Table 4.8
Cancer of the Female Breast (Invasive)

Age-adjusted SEER Incidence^a Rates by Year, Race and Age

	All Races, Females			White Females			Black Females		
	All	<50	50+	All	<50	50+	All	<50	50+
Year of Diagnosis:									
1975-2015	126.42	43.70	343.02	129.99	44.08	354.97	118.75	44.41	313.44
1975-1979	102.13	39.34	266.56	104.80	39.77	275.11	87.94	39.33	215.22
1980	102.23	37.75	271.08	105.13	38.28	280.19	89.48	37.69	225.12
1981	106.35	39.19	282.22	109.87	40.03	292.75	94.35	38.86	239.64
1982	106.50	40.57	279.14	109.90	41.19	289.80	93.58	38.02	239.06
1983	111.11	40.26	296.65	114.44	40.82	307.22	103.79	41.80	266.12
1984	115.99	42.39	308.72	119.87	43.14	320.81	102.41	44.66	253.62
1985	124.26	44.34	333.52	127.77	44.35	346.22	111.76	45.69	284.76
1986	126.84	44.52	342.40	130.39	45.32	353.15	115.33	45.64	297.82
1987	134.52	45.54	367.51	140.27	46.49	385.84	109.65	43.26	283.48
1988	131.39	43.99	360.24	136.28	44.92	375.52	119.01	43.00	318.06
1989	127.30	43.47	346.82	132.44	44.54	362.61	105.34	42.33	270.35
1990	131.92	45.64	357.84	136.27	45.38	374.29	118.88	49.05	301.72
1991	133.87	47.28	360.63	138.92	47.27	378.91	117.72	51.29	291.67
1992	132.10	43.46	364.20	135.74	43.64	376.91	124.19	46.75	326.97
1993	129.23	42.88	355.33	133.13	43.25	368.49	119.53	45.29	313.92
1994	131.01	42.45	362.90	135.67	42.80	378.87	122.87	47.74	319.62
1995	132.71	43.24	367.00	137.63	43.73	383.53	123.92	45.73	328.68
1996	133.80	43.62	369.95	138.25	44.04	384.94	124.49	44.44	334.10
1997	138.10	43.58	385.60	142.65	44.07	400.80	126.26	44.87	339.39
1998	141.49	45.53	392.77	146.58	45.47	411.34	126.21	47.32	332.78
1999	141.52	43.87	397.24	147.07	45.10	414.09	126.73	44.11	343.08
2000	136.62	43.50	380.46	143.02	43.99	402.35	119.16	44.97	313.45
2001	138.86	44.00	387.25	145.03	44.83	407.40	116.36	39.85	316.72
2002	135.89	42.90	379.39	141.31	43.51	397.39	124.33	41.67	340.79
2003	127.13	43.45	346.25	131.88	44.33	361.13	123.92	43.48	334.54
2004	128.26	45.02	346.22	132.06	44.84	360.47	124.45	48.13	324.29
2005	126.72	44.13	342.97	131.41	44.51	358.96	118.84	45.69	310.39
2006	126.44	44.19	341.80	130.55	45.09	354.32	125.62	45.30	335.93
2007	128.33	45.36	345.58	132.47	45.72	359.64	124.96	45.64	332.67
2008	128.53	45.58	345.74	131.58	45.59	356.72	128.52	45.19	346.74
2009	130.97	45.52	354.72	134.42	46.02	365.91	129.67	45.66	349.68
2010	127.07	44.22	344.01	130.79	45.03	355.39	122.82	44.28	328.48
2011	130.46	45.50	352.93	133.76	45.52	364.84	128.46	48.29	338.40
2012	130.15	44.28	355.03	132.72	44.92	362.63	133.34	42.33	371.65
2013	131.03	45.46	355.10	133.47	45.94	362.69	129.20	41.83	357.99
2014	131.19	45.87	354.60	133.69	45.59	364.38	127.54	45.80	341.56
2015	131.10	46.29	353.18	133.81	46.32	362.90	128.21	45.00	346.09

^a Individual rates for diagnosis years 1975-1979 available in web browser version of [Cancer Statistics Review](#).
SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).
Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- Statistic not shown. Rate based on less than 16 cases for the time interval.