

Table 4.20  
Cancer of the Female Breast (Invasive)

Age-Adjusted SEER Incidence Rates<sup>a</sup>  
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <50	Ages 50+	All Ages	Ages <50	Ages 50+	All Ages	Ages <50	Ages 50+
<u>SEER Incidence Rates<sup>a</sup>, 2011-2015</u>									
California	121.55	41.89	330.13	125.82	41.92	345.51	123.67	40.97	340.22
Greater Bay Area	125.94	45.99	335.32	133.75	46.56	362.06	127.99	43.71	348.67
San Francisco-Oakland	128.00	46.43	341.60	134.79	45.99	367.31	128.48	44.90	347.35
San Jose-Monterey	122.03	45.21	323.17	131.99	47.60	352.95	127.09	37.08	362.79
Los Angeles	115.65	41.55	309.69	118.39	40.48	322.38	127.00	42.71	347.71
Greater California	122.68	40.55	337.73	126.53	41.27	349.81	117.90	38.22	326.56
Connecticut	140.15	51.89	371.27	142.16	53.32	374.82	118.69	40.35	323.84
Detroit	133.77	46.78	361.56	135.13	47.08	365.70	134.18	47.36	361.53
Georgia	125.17	43.07	340.14	125.45	41.99	343.98	127.83	46.01	342.07
Atlanta	133.05	45.57	362.11	138.93	47.49	378.36	132.51	45.34	360.77
Rural Georgia	124.74	42.56	339.91	127.77	42.68	350.58	114.65	38.34	314.48
Greater Georgia	121.20	41.47	329.95	120.28	39.58	331.61	124.97	46.82	329.60
Hawaii	136.09	51.70	357.06	146.85	58.38	378.52	115.61	49.56	288.58
Iowa	123.44	42.23	336.09	124.29	42.89	337.44	107.91	40.39	284.72
Kentucky	124.98	41.77	342.86	124.99	41.42	343.84	128.89	46.18	345.49
Louisiana	124.15	42.72	337.38	121.61	40.56	333.84	133.31	47.87	357.04
New Jersey	133.43	49.57	353.02	137.01	51.06	362.07	122.42	44.55	326.33
New Mexico	112.44	35.20	314.70	117.18	37.61	325.54	91.84	24.94	267.01
Seattle-Puget Sound	140.84	47.04	386.49	144.75	46.74	401.42	127.57	42.83	349.47
Utah	115.10	37.06	319.46	116.48	37.52	323.22	86.04	-	246.66
SEER 9 Areas <sup>b</sup>	130.79	45.48	354.20	133.50	45.66	363.53	129.29	44.64	350.93
SEER 13 Areas <sup>b</sup>	126.90	44.51	342.64	130.16	44.49	354.52	128.70	44.13	350.14
SEER 18 Areas <sup>b</sup>	125.99	43.69	341.47	128.58	43.68	350.90	126.87	44.54	342.46

<sup>a</sup> Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

<sup>b</sup> The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.