


Table 6.27
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2011-2015


Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	12.19	0.04		
High Five States				
West Virginia	15.57	0.49	01(01,15)	27.76 ^c
Mississippi	15.51	0.42	02(01,05)	27.25 ^c
D.C.	14.71	0.93	03(01,24)	20.66 ^c
Louisiana	14.62	0.33	04(01,10)	19.96 ^c
Arkansas	14.14	0.39	05(01,16)	16.03 ^c
Low Five States				
Colorado	10.69	0.28	47(32,50)	-12.33 ^c
Connecticut	10.35	0.29	48(41,51)	-15.08 ^c
Hawaii	10.31	0.48	49(29,51)	-15.44 ^c
Wyoming	10.12	0.79	50(18,51)	-16.98 ^c
Utah	9.68	0.40	51(45,51)	-20.59 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	13.39	0.30	14(07,28)	9.89	Montana	11.08	0.58	41(21,51)	-9.09
Alaska	13.59	1.02	12(01,48)	11.46 ^c	Nebraska	13.62	0.49	10(02,24)	11.75 ^c
Arizona	10.91	0.23	45(33,49)	-10.53 ^c	Nevada	13.65	0.43	08(02,27)	11.99 ^c
Arkansas	14.14	0.39	05(01,16)	16.03 ^c	New Hampshire	12.54	0.54	22(03,36)	2.88
California	11.41	0.10	38(33,45)	-6.37	New Jersey	12.36	0.20	25(14,30)	1.37
Colorado	10.69	0.28	47(32,50)	-12.33 ^c	New Mexico	11.45	0.43	37(25,50)	-6.06
Connecticut	10.35	0.29	48(41,51)	-15.08 ^c	New York	11.81	0.14	31(24,37)	-3.08
Delaware	11.05	0.60	42(24,51)	-9.30	North Carolina	11.66	0.20	35(28,46)	-4.32
D.C.	14.71	0.93	03(01,24)	20.66 ^c	North Dakota	11.99	0.73	28(02,46)	-1.61
Florida	11.15	0.12	40(34,47)	-8.52	Ohio	13.36	0.19	15(06,22)	9.63
Georgia	12.43	0.22	23(17,34)	1.94	Oklahoma	14.08	0.35	06(04,24)	15.54 ^c
Hawaii	10.31	0.48	49(29,51)	-15.44 ^c	Oregon	12.03	0.31	27(18,43)	-1.31
Idaho	10.91	0.50	44(24,51)	-10.52 ^c	Pennsylvania	13.22	0.17	16(07,22)	8.50
Illinois	13.10	0.18	17(09,25)	7.45	Rhode Island	11.83	0.57	30(04,42)	-2.95
Indiana	13.43	0.26	13(07,25)	10.15 ^c	South Carolina	12.58	0.29	21(09,32)	3.24
Iowa	13.60	0.36	11(03,23)	11.57 ^c	South Dakota	13.03	0.69	18(04,47)	6.91
Kansas	12.61	0.38	20(11,39)	3.49	Tennessee	13.63	0.26	09(03,20)	11.85 ^c
Kentucky	14.08	0.32	07(02,19)	15.48 ^c	Texas	11.61	0.13	36(26,39)	-4.75
Louisiana	14.62	0.33	04(01,10)	19.96 ^c	Utah	9.68	0.40	51(45,51)	-20.59 ^c
Maine	11.72	0.49	33(18,49)	-3.82	Vermont	12.38	0.76	24(04,49)	1.58
Maryland	11.95	0.26	29(22,42)	-1.98	Virginia	11.78	0.22	32(24,42)	-3.34
Massachusetts	10.88	0.22	46(32,49)	-10.74 ^c	Washington	11.01	0.23	43(32,49)	-9.71
Michigan	12.30	0.20	26(16,32)	0.95	West Virginia	15.57	0.49	01(01,15)	27.76 ^c
Minnesota	11.28	0.26	39(28,48)	-7.45	Wisconsin	11.69	0.25	34(21,42)	-4.08
Mississippi	15.51	0.42	02(01,05)	27.25 ^c	Wyoming	10.12	0.79	50(18,51)	-16.98 ^c
Missouri	12.86	0.26	19(08,28)	5.50					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.