


Table 15.24  
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2011-2015

Males and Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	43.37	0.05		
High Five States				
Kentucky	67.72	0.52	01(01,01)	56.15 <sup>c</sup>
Arkansas	59.04	0.58	02(02,05)	36.12 <sup>c</sup>
West Virginia	58.80	0.69	03(02,05)	35.57 <sup>c</sup>
Mississippi	57.42	0.59	04(02,05)	32.39 <sup>c</sup>
Tennessee	56.97	0.39	05(03,05)	31.36 <sup>c</sup>
Low Five States				
California	32.16	0.13	47(47,48)	-25.85 <sup>c</sup>
Hawaii	31.60	0.62	48(47,50)	-27.15 <sup>c</sup>
New Mexico	30.63	0.51	49(48,50)	-29.38 <sup>c</sup>
Colorado	30.20	0.35	50(48,50)	-30.38 <sup>c</sup>
Utah	19.49	0.42	51(51,51)	-55.07 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	53.39	0.43	10(06,10)	23.09 <sup>c</sup>	Montana	41.09	0.81	35(32,43)	-5.26 <sup>c</sup>
Alaska	46.00	1.38	20(13,32)	6.07 <sup>c</sup>	Nebraska	42.20	0.64	32(27,37)	-2.71
Arizona	35.29	0.30	45(44,46)	-18.64 <sup>c</sup>	Nevada	45.40	0.57	24(17,27)	4.68
Arkansas	59.04	0.58	02(02,05)	36.12 <sup>c</sup>	New Hampshire	45.58	0.76	22(17,30)	5.09 <sup>c</sup>
California	32.16	0.13	47(47,48)	-25.85 <sup>c</sup>	New Jersey	38.32	0.28	42(37,43)	-11.65 <sup>c</sup>
Colorado	30.20	0.35	50(48,50)	-30.38 <sup>c</sup>	New Mexico	30.63	0.51	49(48,50)	-29.38 <sup>c</sup>
Connecticut	37.47	0.42	43(37,44)	-13.61 <sup>c</sup>	New York	38.94	0.19	39(37,42)	-10.21 <sup>c</sup>
Delaware	48.84	0.94	14(11,18)	12.61 <sup>c</sup>	North Carolina	49.01	0.30	13(12,16)	13.01 <sup>c</sup>
D.C.	38.89	1.15	40(32,44)	-10.35 <sup>c</sup>	North Dakota	39.52	0.99	37(33,44)	-8.89 <sup>c</sup>
Florida	42.44	0.18	30(28,34)	-2.15	Ohio	51.71	0.27	11(11,13)	19.22 <sup>c</sup>
Georgia	46.20	0.31	19(17,23)	6.51 <sup>c</sup>	Oklahoma	55.70	0.51	06(05,10)	28.42 <sup>c</sup>
Hawaii	31.60	0.62	48(47,50)	-27.15 <sup>c</sup>	Oregon	42.33	0.43	31(27,34)	-2.41
Idaho	36.12	0.65	44(43,46)	-16.71 <sup>c</sup>	Pennsylvania	45.21	0.24	25(20,27)	4.23
Illinois	46.35	0.26	18(17,23)	6.86 <sup>c</sup>	Rhode Island	48.27	0.88	17(13,24)	11.30 <sup>c</sup>
Indiana	53.45	0.39	09(06,10)	23.22 <sup>c</sup>	South Carolina	48.84	0.42	15(12,18)	12.60 <sup>c</sup>
Iowa	45.57	0.49	23(20,28)	5.07 <sup>c</sup>	South Dakota	42.87	0.93	29(23,37)	-1.15
Kansas	45.91	0.54	21(18,27)	5.85 <sup>c</sup>	Tennessee	56.97	0.39	05(03,05)	31.36 <sup>c</sup>
Kentucky	67.72	0.52	01(01,01)	56.15 <sup>c</sup>	Texas	38.96	0.18	38(36,40)	-10.16 <sup>c</sup>
Louisiana	53.62	0.47	08(06,10)	23.63 <sup>c</sup>	Utah	19.49	0.42	51(51,51)	-55.07 <sup>c</sup>
Maine	51.56	0.76	12(10,15)	18.88 <sup>c</sup>	Vermont	44.73	1.07	26(15,29)	3.13
Maryland	41.54	0.37	34(28,36)	-4.22	Virginia	44.02	0.32	27(22,29)	1.49
Massachusetts	42.08	0.33	33(28,34)	-2.97	Washington	40.59	0.33	36(32,37)	-6.41 <sup>c</sup>
Michigan	48.54	0.29	16(14,18)	11.91 <sup>c</sup>	West Virginia	58.80	0.69	03(02,05)	35.57 <sup>c</sup>
Minnesota	38.80	0.36	41(37,43)	-10.53 <sup>c</sup>	Wisconsin	42.97	0.36	28(27,34)	-0.94
Mississippi	57.42	0.59	04(02,05)	32.39 <sup>c</sup>	Wyoming	35.27	1.08	46(41,46)	-18.67 <sup>c</sup>
Missouri	54.08	0.39	07(06,10)	24.68 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.