



Table 15.25  
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2011-2015

Males

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	53.83	0.08		
High Five States				
Kentucky	86.67	0.90	01(01,01)	60.99 <sup>c</sup>
Mississippi	80.30	1.08	02(02,03)	49.16 <sup>c</sup>
Arkansas	78.52	1.01	03(02,05)	45.86 <sup>c</sup>
West Virginia	75.74	1.19	04(03,07)	40.69 <sup>c</sup>
Tennessee	75.10	0.69	05(03,06)	39.50 <sup>c</sup>
Low Five States				
Wyoming	39.82	1.70	47(42,49)	-26.03 <sup>c</sup>
California	38.32	0.22	48(46,49)	-28.82 <sup>c</sup>
New Mexico	36.28	0.84	49(47,50)	-32.61 <sup>c</sup>
Colorado	33.96	0.56	50(49,50)	-36.91 <sup>c</sup>
Utah	23.89	0.69	51(51,51)	-55.62 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	73.70	0.79	06(04,06)	36.90 <sup>c</sup>	Montana	45.73	1.26	42(37,46)	-15.05 <sup>c</sup>
Alaska	53.05	2.22	24(17,40)	-1.46	Nebraska	52.50	1.07	27(22,35)	-2.48
Arizona	41.50	0.48	45(43,47)	-22.91 <sup>c</sup>	Nevada	51.14	0.89	31(24,37)	-5.00 <sup>c</sup>
Arkansas	78.52	1.01	03(02,05)	45.86 <sup>c</sup>	New Hampshire	52.58	1.23	26(22,37)	-2.33
California	38.32	0.22	48(46,49)	-28.82 <sup>c</sup>	New Jersey	45.93	0.47	40(37,42)	-14.68 <sup>c</sup>
Colorado	33.96	0.56	50(49,50)	-36.91 <sup>c</sup>	New Mexico	36.28	0.84	49(47,50)	-32.61 <sup>c</sup>
Connecticut	43.89	0.69	43(40,44)	-18.47 <sup>c</sup>	New York	47.46	0.32	37(36,41)	-11.85 <sup>c</sup>
Delaware	59.45	1.57	16(12,22)	10.43 <sup>c</sup>	North Carolina	65.02	0.53	11(10,13)	20.77 <sup>c</sup>
D.C.	47.18	1.98	39(25,44)	-12.37 <sup>c</sup>	North Dakota	50.56	1.68	32(23,41)	-6.07 <sup>c</sup>
Florida	52.15	0.29	28(24,31)	-3.13	Ohio	64.59	0.47	13(11,14)	19.98 <sup>c</sup>
Georgia	62.16	0.57	15(13,16)	15.47 <sup>c</sup>	Oklahoma	70.04	0.86	08(07,10)	30.11 <sup>c</sup>
Hawaii	39.85	1.03	46(44,49)	-25.99 <sup>c</sup>	Oregon	48.27	0.69	36(31,40)	-10.33 <sup>c</sup>
Idaho	41.94	1.04	44(42,47)	-22.09 <sup>c</sup>	Pennsylvania	57.11	0.40	21(17,23)	6.09 <sup>c</sup>
Illinois	57.35	0.44	20(17,23)	6.54 <sup>c</sup>	Rhode Island	58.73	1.48	17(15,26)	9.10 <sup>c</sup>
Indiana	68.41	0.66	09(07,10)	27.07 <sup>c</sup>	South Carolina	64.92	0.74	12(10,14)	20.59 <sup>c</sup>
Iowa	58.05	0.84	19(16,24)	7.83 <sup>c</sup>	South Dakota	52.78	1.54	25(18,35)	-1.96
Kansas	55.91	0.89	22(18,26)	3.86	Tennessee	75.10	0.69	05(03,06)	39.50 <sup>c</sup>
Kentucky	86.67	0.90	01(01,01)	60.99 <sup>c</sup>	Texas	49.82	0.31	34(28,36)	-7.46 <sup>c</sup>
Louisiana	70.61	0.83	07(06,09)	31.16 <sup>c</sup>	Utah	23.89	0.69	51(51,51)	-55.62 <sup>c</sup>
Maine	63.35	1.26	14(11,17)	17.67 <sup>c</sup>	Vermont	51.30	1.72	30(19,38)	-4.70
Maryland	50.02	0.62	33(27,37)	-7.09 <sup>c</sup>	Virginia	55.33	0.55	23(19,26)	2.78
Massachusetts	49.49	0.55	35(28,37)	-8.08 <sup>c</sup>	Washington	47.43	0.54	38(34,40)	-11.89 <sup>c</sup>
Michigan	58.58	0.48	18(16,19)	8.81 <sup>c</sup>	West Virginia	75.74	1.19	04(03,07)	40.69 <sup>c</sup>
Minnesota	45.84	0.59	41(38,43)	-14.85 <sup>c</sup>	Wisconsin	51.75	0.59	29(24,35)	-3.88
Mississippi	80.30	1.08	02(02,03)	49.16 <sup>c</sup>	Wyoming	39.82	1.70	47(42,49)	-26.03 <sup>c</sup>
Missouri	67.33	0.66	10(08,12)	25.06 <sup>c</sup>					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p \leq .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 5% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.