

Table 18.13  
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Males, 2013-2015 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.89	0.48	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.69	0.30
	10	0.00	0.00	0.01	0.90	0.48		10	0.00	0.00	0.00	0.69	0.31
	20	0.00	0.01	0.04	0.90	0.48		20	0.00	0.00	0.02	0.69	0.31
	30	0.01	0.04	0.14	0.91	0.49		30	0.00	0.02	0.08	0.70	0.31
	40	0.03	0.13	0.35	0.92	0.50		40	0.02	0.07	0.22	0.70	0.31
	50	0.10	0.32	0.64	0.91	0.51		50	0.06	0.20	0.43	0.69	0.31
	60	0.23	0.57	0.83	0.87	0.51		60	0.15	0.39	0.59	0.66	0.30
	70	0.40	0.69	-	0.74	0.49		70	0.26	0.48	-	0.55	0.26
80	0.42	-	-	0.49	0.40	80	0.27	-	-	0.36	0.19		
White	0	0.00	0.00	0.00	0.83	0.46	American Indian/ Alaska Native <sup>a</sup>	0	0.00	0.00	0.00	0.69	0.40
	10	0.00	0.00	0.01	0.84	0.46		10	0.00	0.00	0.01	0.70	0.40
	20	0.00	0.01	0.04	0.84	0.46		20	0.00	0.01	0.02	0.70	0.40
	30	0.01	0.04	0.13	0.85	0.47		30	0.01	0.02	0.05	0.72	0.42
	40	0.03	0.12	0.31	0.86	0.48		40	0.01	0.04	0.18	0.74	0.43
	50	0.09	0.29	0.59	0.86	0.48		50	0.03	0.18	0.48	0.76	0.45
	60	0.21	0.53	0.78	0.82	0.49		60	0.16	0.48	0.78	0.80	0.47
	70	0.37	0.66	-	0.71	0.47		70	0.38	0.73	-	0.75	0.48
80	0.41	-	-	0.48	0.39	80	0.50	-	-	0.53	0.42		
Black	0	0.00	0.00	0.00	1.38	0.70	Hispanic <sup>b</sup>	0	0.00	0.00	0.00	0.89	0.46
	10	0.00	0.00	0.02	1.41	0.72		10	0.00	0.00	0.01	0.90	0.47
	20	0.00	0.02	0.08	1.42	0.72		20	0.00	0.01	0.04	0.91	0.47
	30	0.02	0.08	0.26	1.44	0.74		30	0.01	0.03	0.13	0.91	0.47
	40	0.07	0.25	0.66	1.46	0.75		40	0.03	0.13	0.32	0.92	0.48
	50	0.20	0.62	1.13	1.46	0.77		50	0.10	0.30	0.60	0.91	0.48
	60	0.48	1.04	1.37	1.42	0.79		60	0.21	0.53	0.81	0.86	0.48
	70	0.72	1.14	-	1.20	0.78		70	0.36	0.67	-	0.73	0.45
80	0.66	-	-	0.76	0.66	80	0.41	-	-	0.49	0.35		

Devcan 6.7.6, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.