



Table 18.20
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2011-2015

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	2.69	0.02		
High Five States				
South Carolina	3.52	0.15	01(01,10)	30.52 ^c
D.C.	3.51	0.46	02(01,47)	30.35 ^c
Maryland	3.36	0.14	03(01,14)	24.83 ^c
North Carolina	3.29	0.10	04(01,16)	22.06 ^c
Delaware	3.16	0.32	05(01,50)	17.35 ^c
Low Five States				
Alaska	2.28	0.41	47(01,51)	-15.47 ^c
Arizona	2.27	0.10	48(28,51)	-15.81 ^c
Nevada	2.25	0.18	49(20,51)	-16.35 ^c
Wyoming	2.03	0.36	50(01,51)	-24.59 ^c
Hawaii	2.03	0.21	51(34,51)	-24.72 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	2.85	0.13	15(01,29)	5.87	Montana	2.46	0.27	39(01,50)	-8.58
Alaska	2.28	0.41	47(01,51)	-15.47 ^c	Nebraska	2.42	0.20	43(07,51)	-10.32
Arizona	2.27	0.10	48(28,51)	-15.81 ^c	Nevada	2.25	0.18	49(20,51)	-16.35 ^c
Arkansas	2.80	0.17	16(02,45)	4.14	New Hampshire	2.47	0.24	38(10,51)	-8.48
California	2.44	0.05	41(28,46)	-9.54	New Jersey	2.57	0.09	31(17,47)	-4.70
Colorado	2.36	0.13	44(18,50)	-12.35	New Mexico	2.33	0.19	45(13,51)	-13.34
Connecticut	2.58	0.15	29(08,48)	-4.32	New York	2.55	0.06	34(17,43)	-5.35
Delaware	3.16	0.32	05(01,50)	17.35 ^c	North Carolina	3.29	0.10	04(01,16)	22.06 ^c
D.C.	3.51	0.46	02(01,47)	30.35 ^c	North Dakota	2.56	0.34	32(01,51)	-4.83
Florida	2.43	0.06	42(30,48)	-9.65	Ohio	2.96	0.09	09(04,25)	9.92
Georgia	3.14	0.11	06(01,21)	16.42 ^c	Oklahoma	2.69	0.15	25(07,47)	-0.20
Hawaii	2.03	0.21	51(34,51)	-24.72 ^c	Oregon	2.73	0.15	21(06,47)	1.53
Idaho	2.47	0.24	37(05,51)	-8.32	Pennsylvania	2.68	0.08	27(10,38)	-0.62
Illinois	2.75	0.08	20(11,41)	2.16	Rhode Island	2.44	0.26	40(04,51)	-9.37
Indiana	2.73	0.12	23(06,42)	1.49	South Carolina	3.52	0.15	01(01,10)	30.52 ^c
Iowa	2.86	0.17	14(04,46)	6.30	South Dakota	2.48	0.29	36(01,50)	-7.79
Kansas	2.92	0.18	12(02,44)	8.35	Tennessee	2.94	0.12	10(03,35)	9.29
Kentucky	2.55	0.14	33(06,47)	-5.15	Texas	2.57	0.06	30(16,42)	-4.69
Louisiana	3.13	0.15	07(01,33)	16.39 ^c	Utah	2.80	0.22	17(06,51)	3.77
Maine	2.49	0.22	35(05,51)	-7.66	Vermont	2.28	0.32	46(14,51)	-15.19 ^c
Maryland	3.36	0.14	03(01,14)	24.83 ^c	Virginia	2.79	0.11	18(04,36)	3.66
Massachusetts	2.62	0.11	28(10,45)	-2.66	Washington	2.68	0.12	26(09,45)	-0.61
Michigan	2.88	0.09	13(05,33)	7.09	West Virginia	2.94	0.21	11(01,44)	9.04
Minnesota	2.73	0.13	22(09,47)	1.52	Wisconsin	2.71	0.12	24(06,43)	0.55
Mississippi	3.13	0.18	08(01,30)	16.28 ^c	Wyoming	2.03	0.36	50(01,51)	-24.59 ^c
Missouri	2.79	0.12	19(07,42)	3.53					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.