

Table 22.13
Cancer of the Pancreas (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2013-2015 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	1.60	1.38	Asian/ Pacific Islander	0	0.00	0.00	0.00	1.66	1.42
	10	0.00	0.00	0.01	1.62	1.40		10	0.00	0.00	0.01	1.67	1.43
	20	0.00	0.01	0.06	1.63	1.41		20	0.00	0.01	0.05	1.68	1.43
	30	0.01	0.06	0.23	1.65	1.42		30	0.01	0.05	0.17	1.68	1.44
	40	0.05	0.22	0.61	1.66	1.44		40	0.04	0.16	0.43	1.69	1.44
	50	0.18	0.58	1.12	1.66	1.45		50	0.12	0.40	0.87	1.67	1.44
	60	0.43	1.01	1.47	1.59	1.41		60	0.29	0.78	1.34	1.61	1.41
	70	0.68	1.22	-	1.36	1.24		70	0.54	1.15	-	1.44	1.31
White	80	0.76	-	-	0.95	0.92	American Indian/ Alaska Native ^a	80	0.76	-	-	1.12	1.11
	0	0.00	0.00	0.00	1.60	1.39		0	0.00	0.00	0.01	1.33	0.97
	10	0.00	0.00	0.01	1.62	1.41		10	0.00	0.01	0.01	1.34	0.98
	20	0.00	0.01	0.06	1.62	1.41		20	0.00	0.01	0.04	1.35	0.99
	30	0.01	0.06	0.23	1.64	1.43		30	0.01	0.03	0.20	1.38	1.01
	40	0.05	0.22	0.61	1.66	1.45		40	0.03	0.20	0.47	1.42	1.04
	50	0.18	0.58	1.13	1.66	1.46		50	0.19	0.46	0.86	1.46	1.08
	60	0.43	1.03	1.48	1.59	1.42		60	0.30	0.74	1.27	1.40	1.09
Black	70	0.69	1.22	-	1.35	1.25	Hispanic ^b	70	0.51	1.13	-	1.28	0.94
	80	0.75	-	-	0.93	0.92		80	0.90	-	-	1.11	0.71
	0	0.00	0.00	0.00	1.57	1.38		0	0.00	0.00	0.00	1.60	1.27
	10	0.00	0.00	0.01	1.60	1.41		10	0.00	0.00	0.01	1.61	1.28
	20	0.00	0.01	0.07	1.61	1.42		20	0.00	0.01	0.04	1.62	1.28
	30	0.01	0.07	0.30	1.64	1.44		30	0.01	0.04	0.17	1.63	1.30
	40	0.06	0.30	0.74	1.67	1.47		40	0.04	0.17	0.49	1.64	1.31
	50	0.25	0.71	1.24	1.69	1.49		50	0.14	0.47	1.01	1.64	1.31
	60	0.51	1.11	1.50	1.61	1.45		60	0.35	0.93	1.38	1.60	1.28
	70	0.75	1.25	-	1.39	1.28		70	0.65	1.15	-	1.40	1.15
	80	0.79	-	-	1.01	0.97		80	0.67	-	-	0.99	0.90

Devcan 6.7.6, April 2018, National Cancer Institute (<https://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.