

Table 22.18
Cancer of the Pancreas (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2011-2015


Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	10.93	0.02		
High Five States				
D.C.	13.47	0.68	01(01,08)	23.33 ^c
Louisiana	13.08	0.23	02(01,04)	19.68 ^c
Mississippi	12.92	0.28	03(01,05)	18.29 ^c
Delaware	11.86	0.46	04(02,42)	8.55
Pennsylvania	11.74	0.12	05(04,18)	7.48
Low Five States				
Montana	10.11	0.40	47(29,51)	-7.44
Utah	9.81	0.29	48(30,51)	-10.20
New Mexico	9.57	0.28	49(42,51)	-12.38
Wyoming	9.44	0.55	50(18,51)	-13.56
Colorado	9.44	0.19	51(42,51)	-13.58

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	11.44	0.20	12(04,34)	4.68	Montana	10.11	0.40	47(29,51)	-7.44
Alaska	10.89	0.66	29(02,51)	-0.35	Nebraska	10.45	0.32	39(09,49)	-4.31
Arizona	10.18	0.16	46(32,49)	-6.86	Nevada	10.35	0.27	42(14,49)	-5.26
Arkansas	10.81	0.25	33(05,44)	-1.06	New Hampshire	11.08	0.38	25(04,46)	1.42
California	10.33	0.07	43(33,46)	-5.45	New Jersey	11.49	0.15	10(04,26)	5.16
Colorado	9.44	0.19	51(42,51)	-13.58	New Mexico	9.57	0.28	49(42,51)	-12.38
Connecticut	10.87	0.23	30(06,42)	-0.51	New York	11.21	0.10	16(06,27)	2.58
Delaware	11.86	0.46	04(02,42)	8.55	North Carolina	10.87	0.14	31(18,42)	-0.53
D.C.	13.47	0.68	01(01,08)	23.33 ^c	North Dakota	10.40	0.50	41(12,51)	-4.79
Florida	10.30	0.09	44(35,47)	-5.71	Ohio	11.62	0.13	08(04,24)	6.35
Georgia	10.56	0.15	38(26,47)	-3.33	Oklahoma	10.90	0.23	28(06,42)	-0.27
Hawaii	11.20	0.36	17(04,47)	2.48	Oregon	11.18	0.22	21(07,44)	2.35
Idaho	11.11	0.36	23(03,46)	1.69	Pennsylvania	11.74	0.12	05(04,18)	7.48
Illinois	11.05	0.13	26(09,34)	1.17	Rhode Island	10.70	0.41	35(04,50)	-2.06
Indiana	11.14	0.18	22(05,36)	2.00	South Carolina	11.25	0.20	15(04,36)	2.95
Iowa	10.85	0.24	32(08,45)	-0.70	South Dakota	10.42	0.46	40(04,51)	-4.59
Kansas	11.45	0.27	11(04,37)	4.80	Tennessee	11.09	0.17	24(05,36)	1.51
Kentucky	11.28	0.21	14(04,35)	3.26	Texas	10.18	0.09	45(36,48)	-6.79
Louisiana	13.08	0.23	02(01,04)	19.68 ^c	Utah	9.81	0.29	48(30,51)	-10.20
Maine	11.35	0.35	13(03,45)	3.86	Vermont	11.18	0.54	20(02,49)	2.37
Maryland	11.64	0.19	07(03,24)	6.53	Virginia	11.01	0.16	27(11,39)	0.77
Massachusetts	11.19	0.17	18(06,36)	2.40	Washington	10.78	0.17	34(10,40)	-1.32
Michigan	11.71	0.14	06(04,22)	7.16	West Virginia	10.66	0.30	36(19,51)	-2.41
Minnesota	10.59	0.19	37(23,47)	-3.05	Wisconsin	11.57	0.19	09(04,28)	5.93
Mississippi	12.92	0.28	03(01,05)	18.29 ^c	Wyoming	9.44	0.55	50(18,51)	-13.56
Missouri	11.18	0.18	19(04,34)	2.37					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.